

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m <sup>3</sup> )	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
<b>Target Air Quality Levels</b>									<b>300</b>			
<b>EPA Site Specific Trigger Levels</b>									<b>3,000</b>			
TotalHg-ST1-1/12/09	0903016-01	Southwest Area (sidewalk bridge level)	1/12/09	0.56	Mercury	EPA 324/1631	BRL	1/14/09	< 27.0	No	No	
TotalHg-ST2-1/12/09	0903016-02	Southeast Area (sidewalk bridge level)	1/12/09	0.56	Mercury	EPA 324/1631	BRL	1/14/09	< 27.0	No	No	
TotalHg-ST4-1/12/09	0903016-03	Northwest Area (street-level)	1/12/09	0.52	Mercury	EPA 324/1631	BRL	1/14/09	< 29.0	No	No	
TotalHg-ST5-1/12/09	0903016-04	Firehouse #10 (roof level)	1/12/09	0.57	Mercury	EPA 324/1631	BRL	1/14/09	< 26.0	No	No	
TotalHg-ST10-1/12/09	0903016-05	North Side Sidewalk Bridge	1/12/09	0.54	Mercury	EPA 324/1631	BRL	1/14/09	< 28.0	No	No	
TotalHg-ST11-1/12/09	0903016-06	90 Trinity Place (roof level)	1/12/09	0.57	Mercury	EPA 324/1631	BRL	1/14/09	< 26.0	No	No	
TotalHg-ST12-1/12/09	0903016-07	110 Greenwich Street (roof level)	1/12/09	0.56	Mercury	EPA 324/1631	BRL	1/14/09	< 27.0	No	No	
TotalHg-ST13-1/12/09	0903016-08	Marriott Hotel, 38th Floor (roof level)	1/12/09	0.55	Mercury	EPA 324/1631	BRL	1/14/09	< 27.0	No	No	
TotalHg-ST14-1/12/09	0903016-09	West Face - South end at corner (scaffolding level)	1/12/09	0.58	Mercury	EPA 324/1631	BRL	1/14/09	< 26.0	No	No	
TotalHg-ST15-1/12/09	0903016-10	South Face - East end at corner (scaffolding level)	1/12/09	0.54	Mercury	EPA 324/1631	BRL	1/14/09	< 28.0	No	No	
TotalHg-ST16-1/12/09	0903016-11	East Face - North end at corner (scaffolding level)	1/12/09	0.56	Mercury	EPA 324/1631	BRL	1/14/09	< 27.0	No	No	
TotalHg-ST17-1/12/09	0903016-12	North Face - West end at corner (scaffolding level)	1/12/09	0.53	Mercury	EPA 324/1631	BRL	1/14/09	< 28.0	No	No	