

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
									300			
Target Air Quality Levels												
EPA Site Specific Trigger Levels									3,000			
TotalHg-ST1-3/28/09	0914003-01	Southwest Area (sidewalk bridge level)	3/28/09	0.58	Mercury	EPA 324/1631	BRL	3/31/09	< 26.0	No	No	
TotalHg-ST2-3/28/09	0914003-02	Southeast Area (sidewalk bridge level)	3/28/09	0.57	Mercury	EPA 324/1631	BRL	3/31/09	< 26.0	No	No	
TotalHg-ST4-3/28/09	0914003-03	Northwest Area (street-level)	3/28/09	0.56	Mercury	EPA 324/1631	BRL	3/31/09	< 27.0	No	No	
TotalHg-ST5-3/28/09	0914003-04	Firehouse #10 (roof level)	3/28/09	0.59	Mercury	EPA 324/1631	BRL	3/31/09	< 25.0	No	No	
TotalHg-ST10-3/28/09	0914003-05	North Side Sidewalk Bridge	3/28/09	0.56	Mercury	EPA 324/1631	BRL	3/31/09	< 27.0	No	No	
TotalHg-ST11-3/28/09	0914003-06	90 Trinity Place (roof level)	3/28/09	0.59	Mercury	EPA 324/1631	BRL	3/31/09	< 25.0	No	No	
TotalHg-ST12-3/28/09	0914003-07	110 Greenwich Street (roof level)	3/28/09	0.55	Mercury	EPA 324/1631	BRL	3/31/09	< 27.0	No	No	
TotalHg-ST13-3/28/09	0914003-08	Marriott Hotel, 38th Floor (roof level)	3/28/09	0.55	Mercury	EPA 324/1631	BRL	3/31/09	< 27.0	No	No	
TotalHg-ST14-3/28/09	0914003-09	West Face - South end at corner (scaffolding level)	3/28/09	0.56	Mercury	EPA 324/1631	BRL	3/31/09	< 27.0	No	No	
TotalHg-ST15-3/28/09	0914003-10	South Face - East end at corner (scaffolding level)	3/28/09	0.56	Mercury	EPA 324/1631	BRL	3/31/09	< 27.0	No	No	
TotalHg-ST16-3/28/09	0914003-11	East Face - North end at corner (scaffolding level)	3/28/09	0.54	Mercury	EPA 324/1631	BRL	3/31/09	< 28.0	No	No	
TotalHg-ST1-3/29/09	0914004-01	Southwest Area (sidewalk bridge level)	3/29/09	0.62	Mercury	EPA 324/1631	BRL	3/31/09	< 26.0	No	No	
TotalHg-ST2-3/29/09	0914004-02	Southeast Area (sidewalk bridge level)	3/29/09	0.54	Mercury	EPA 324/1631	BRL	3/31/09	< 28.0	No	No	
TotalHg-ST4-3/29/09	0914004-03	Northwest Area (street-level)	3/29/09	0.59	Mercury	EPA 324/1631	BRL	3/31/09	< 25.0	No	No	
TotalHg-ST5-3/29/09	0914004-04	Firehouse #10 (roof level)	3/29/09	0.60	Mercury	EPA 324/1631	BRL	3/31/09	< 25.0	No	No	
TotalHg-ST10-3/29/09	0914004-05	North Side Sidewalk Bridge	3/29/09	0.58	Mercury	EPA 324/1631	BRL	3/31/09	< 26.0	No	No	
TotalHg-ST11-3/29/09	0914004-06	90 Trinity Place (roof level)	3/29/09	0.53	Mercury	EPA 324/1631	BRL	3/31/09	< 28.0	No	No	
TotalHg-ST12-3/29/09	0914004-07	110 Greenwich Street (roof level)	3/29/09	0.55	Mercury	EPA 324/1631	BRL	3/31/09	< 27.0	No	No	
TotalHg-ST13-3/29/09	0914004-08	Marriott Hotel, 38th Floor (roof level)	3/29/09	0.56	Mercury	EPA 324/1631	BRL	3/31/09	< 27.0	No	No	
TotalHg-ST14-3/29/09	0914004-09	West Face - South end at corner (scaffolding level)	3/29/09	0.60	Mercury	EPA 324/1631	BRL	3/31/09	< 25.0	No	No	
TotalHg-ST15-3/29/09	0914004-10	South Face - East end at corner (scaffolding level)	3/29/09	0.57	Mercury	EPA 324/1631	BRL	3/31/09	< 26.0	No	No	
TotalHg-ST16-3/29/09	0914004-11	East Face - North end at corner (scaffolding level)	3/29/09	0.59	Mercury	EPA 324/1631	BRL	3/31/09	< 25.0	No	No	
TotalHg-ST17-3/29/09	0914004-12	North Face - West end at corner (scaffolding level)	3/29/09	0.60	Mercury	EPA 324/1631	BRL	3/31/09	< 25.0	No	No	

Note:

1. The mercury sample from Station 17 (North Face - West end at corner [scaffolding level]) on March 28, 2009 was not available for analysis on account of damage to the media.