

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m ³)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels									300			
EPA Site Specific Trigger Levels									3,000			
TotalHg-ST2-4/2/09	0914024-02	Southeast Area (sidewalk bridge level)	4/2/09	0.57	Mercury	EPA 324/1631	BRL	4/4/09	< 26.0	No	No	
TotalHg-ST4-4/2/09	0914024-03	Northwest Area (street-level)	4/2/09	0.56	Mercury	EPA 324/1631	BRL	4/4/09	< 27.0	No	No	
TotalHg-ST5-4/2/09	0914024-04	Firehouse #10 (roof level)	4/2/09	0.62	Mercury	EPA 324/1631	BRL	4/4/09	< 24.0	No	No	
TotalHg-ST10-4/2/09	0914024-05	North Side Sidewalk Bridge	4/2/09	0.58	Mercury	EPA 324/1631	BRL	4/4/09	< 26.0	No	No	
TotalHg-ST11-4/2/09	0914024-06	90 Trinity Place (roof level)	4/2/09	0.58	Mercury	EPA 324/1631	BRL	4/4/09	< 26.0	No	No	
TotalHg-ST12-4/2/09	0914024-07	110 Greenwich Street (roof level)	4/2/09	0.55	Mercury	EPA 324/1631	BRL	4/4/09	< 27.0	No	No	
TotalHg-ST13-4/2/09	0914024-08	Marriott Hotel, 38th Floor (roof level)	4/2/09	0.55	Mercury	EPA 324/1631	BRL	4/4/09	< 27.0	No	No	
TotalHg-ST14-4/2/09	0914024-09	West Face - South end at corner (scaffolding level)	4/2/09	0.55	Mercury	EPA 324/1631	BRL	4/4/09	< 27.0	No	No	
TotalHg-ST15-4/2/09	0914024-10	South Face - East end at corner (scaffolding level)	4/2/09	0.53	Mercury	EPA 324/1631	BRL	4/4/09	< 28.0	No	No	
TotalHg-ST16-4/2/09	0914024-11	East Face - North end at corner (scaffolding level)	4/2/09	0.55	Mercury	EPA 324/1631	BRL	4/4/09	< 27.0	No	No	
TotalHg-ST17-4/2/09	0914024-12	North Face - West end at corner (scaffolding level)	4/2/09	0.59	Mercury	EPA 324/1631	BRL	4/4/09	< 25.0	No	No	
TotalHg-ST1-4/3/09	0915001-01	Southwest Area (sidewalk bridge level)	4/3/09	0.59	Mercury	EPA 324/1631	BRL	4/6/09	< 25.0	No	No	
TotalHg-ST2-4/3/09	0915001-02	Southeast Area (sidewalk bridge level)	4/3/09	0.55	Mercury	EPA 324/1631	BRL	4/6/09	< 27.0	No	No	
TotalHg-ST4-4/3/09	0915001-03	Northwest Area (street-level)	4/3/09	0.53	Mercury	EPA 324/1631	BRL	4/6/09	< 28.0	No	No	
TotalHg-ST5-4/3/09	0915001-04	Firehouse #10 (roof level)	4/3/09	0.58	Mercury	EPA 324/1631	BRL	4/6/09	< 26.0	No	No	
TotalHg-ST10-4/3/09	0915001-05	North Side Sidewalk Bridge	4/3/09	0.56	Mercury	EPA 324/1631	BRL	4/6/09	< 27.0	No	No	
TotalHg-ST11-4/3/09	0915001-06	90 Trinity Place (roof level)	4/3/09	0.56	Mercury	EPA 324/1631	BRL	4/6/09	< 27.0	No	No	
TotalHg-ST12-4/3/09	0915001-07	110 Greenwich Street (roof level)	4/3/09	0.58	Mercury	EPA 324/1631	BRL	4/6/09	< 26.0	No	No	
TotalHg-ST13-4/3/09	0915001-08	Marriott Hotel, 38th Floor (roof level)	4/3/09	0.57	Mercury	EPA 324/1631	BRL	4/6/09	< 26.0	No	No	
TotalHg-ST14-4/3/09	0915001-09	West Face - South end at corner (scaffolding level)	4/3/09	0.54	Mercury	EPA 324/1631	BRL	4/6/09	< 28.0	No	No	
TotalHg-ST15-4/3/09	0915001-10	South Face - East end at corner (scaffolding level)	4/3/09	0.52	Mercury	EPA 324/1631	BRL	4/6/09	< 29.0	No	No	
TotalHg-ST16-4/3/09	0915001-11	East Face - North end at corner (scaffolding level)	4/3/09	0.52	Mercury	EPA 324/1631	BRL	4/6/09	< 29.0	No	No	
TotalHg-ST17-4/3/09	0915001-12	North Face - West end at corner (scaffolding level)	4/3/09	0.56	Mercury	EPA 324/1631	BRL	4/6/09	< 27.0	No	No	

Note:

1. The mercury sample at Station 1 (Southwest Area [sidewalk bridge level]) on April 2, 2009 was composited with the sample for April 1, 2009. Refer to the sample collected on April 1, 2009.