

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m <sup>3</sup> )	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m <sup>3</sup> )	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
									<b>300</b>			
									<b>3,000</b>			
TotalHg-ST1-6/20/06	06BR0958-01	Southwest Area (sidewalk bridge level)	6/20/06	0.58	Mercury	EPA 324/1631	BRL	6/22/06	< 26.0	No	No	
TotalHg-ST2-6/20/06	06BR0958-02	Southeast Area (sidewalk bridge level)	6/20/06	0.58	Mercury	EPA 324/1631	BRL	6/22/06	< 26.0	No	No	
TotalHg-ST4-6/20/06	06BR0958-03	Northwest Area (street-level)	6/20/06	0.58	Mercury	EPA 324/1631	BRL	6/22/06	< 26.0	No	No	
TotalHg-ST5-6/20/06	06BR0958-04	Firehouse #10 (roof level)	6/20/06	0.58	Mercury	EPA 324/1631	BRL	6/22/06	< 26.0	No	No	
TotalHg-ST10-6/20/06	06BR0958-05	North Side Sidewalk Bridge	6/20/06	0.57	Mercury	EPA 324/1631	BRL	6/22/06	< 26.0	No	No	
TotalHg-ST11-6/20/06	06BR0958-06	90 Trinity Place (roof level)	6/20/06	0.57	Mercury	EPA 324/1631	BRL	6/22/06	< 26.0	No	No	
TotalHg-ST12-6/20/06	06BR0958-07	110 Greenwich Street (roof level)	6/20/06	0.57	Mercury	EPA 324/1631	BRL	6/22/06	< 26.0	No	No	
TotalHg-ST13-6/20/06	06BR0958-08	Marriott Hotel, 38th Floor (roof level)	6/20/06	0.56	Mercury	EPA 324/1631	BRL	6/22/06	< 27.0	No	No	
TotalHg-ST14-6/20/06	06BR0958-09	West Face - South end at corner (scaffolding level)	6/20/06	0.57	Mercury	EPA 324/1631	BRL	6/22/06	< 26.0	No	No	
TotalHg-ST15-6/20/06	06BR0958-10	South Face - East end at corner (scaffolding level)	6/20/06	0.53	Mercury	EPA 324/1631	BRL	6/22/06	< 28.0	No	No	
TotalHg-ST16-6/20/06	06BR0958-11	East Face - North end at corner (scaffolding level)	6/20/06	0.56	Mercury	EPA 324/1631	BRL	6/22/06	< 27.0	No	No	
TotalHg-ST17-6/20/06	06BR0958-12	North Face - West end at corner (scaffolding level)	6/20/06	0.57	Mercury	EPA 324/1631	BRL	6/22/06	< 26.0	No	No	