

| TRC Field Sample No.             | Sample No. | Sampling Location                       | Collection Start Date | Sample Volume (m <sup>3</sup> ) | Analyte | Analytical Method | Lab | Lab Sample Receipt Date | Mercury (Total) Concentration (ng/m3) | Exceeds Target Air Quality Levels | Exceeds EPA Site Specific Trigger Levels | Comments |
|----------------------------------|------------|---|-----------------------|---------------------------------|---------|-------------------|-----|-------------------------|---------------------------------------|-----------------------------------|--|----------|
| Target Air Quality Levels        |            |   |                       |                                 |         |                   |     |                         | 300                                   |                                   |  |          |
| EPA Site Specific Trigger Levels |            |   |                       |                                 |         |                   |     |                         | 3,000                                 |                                   |  |          |
| TotalHg-ST1-7/13/09              | 0929013-01 | Southwest Area (sidewalk bridge level)  | 7/13/09               | 0.57                            | Mercury | EPA 324/1631      | BRL | 7/15/09                 | < 26.3                                | No                                | No                                       |          |
| TotalHg-ST2-7/13/09              | 0929013-02 | Southeast Area (sidewalk bridge level)  | 7/13/09               | 0.58                            | Mercury | EPA 324/1631      | BRL | 7/15/09                 | < 25.9                                | No                                | No                                       |          |
| TotalHg-ST4-7/13/09              | 0929013-03 | Northwest Area (street-level)           | 7/13/09               | 0.54                            | Mercury | EPA 324/1631      | BRL | 7/15/09                 | < 27.8                                | No                                | No                                       |          |
| TotalHg-ST5-7/13/09              | 0929013-04 | Firehouse #10 (roof level)              | 7/13/09               | 0.58                            | Mercury | EPA 324/1631      | BRL | 7/15/09                 | < 25.9                                | No                                | No                                       |          |
| TotalHg-ST10-7/13/09             | 0929013-05 | North Side Sidewalk Bridge              | 7/13/09               | 0.53                            | Mercury | EPA 324/1631      | BRL | 7/15/09                 | < 28.3                                | No                                | No                                       |          |
| TotalHg-ST11-7/13/09             | 0929013-06 | 90 Trinity Place (roof level)           | 7/13/09               | 0.61                            | Mercury | EPA 324/1631      | BRL | 7/15/09                 | < 24.6                                | No                                | No                                       |          |
| TotalHg-ST12-7/13/09             | 0929013-07 | 110 Greenwich Street (roof level)       | 7/13/09               | 0.58                            | Mercury | EPA 324/1631      | BRL | 7/15/09                 | < 25.9                                | No                                | No                                       |          |
| TotalHg-ST13-7/13/09             | 0929013-08 | Marriott Hotel, 38th Floor (roof level) | 7/13/09               | 0.56                            | Mercury | EPA 324/1631      | BRL | 7/15/09                 | < 26.8                                | No                                | No                                       |          |
| TotalHg-ST1-7/14/09              | 0929020-01 | Southwest Area (sidewalk bridge level)  | 7/14/09               | 0.59                            | Mercury | EPA 324/1631      | BRL | 7/16/09                 | < 25.4                                | No                                | No                                       |          |
| TotalHg-ST2-7/14/09              | 0929020-02 | Southeast Area (sidewalk bridge level)  | 7/14/09               | 0.58                            | Mercury | EPA 324/1631      | BRL | 7/16/09                 | < 25.9                                | No                                | No                                       |          |
| TotalHg-ST4-7/14/09              | 0929020-03 | Northwest Area (street-level)           | 7/14/09               | 0.55                            | Mercury | EPA 324/1631      | BRL | 7/16/09                 | < 27.3                                | No                                | No                                       |          |
| TotalHg-ST5-7/14/09              | 0929020-04 | Firehouse #10 (roof level)              | 7/14/09               | 0.58                            | Mercury | EPA 324/1631      | BRL | 7/16/09                 | < 25.9                                | No                                | No                                       |          |
| TotalHg-ST10-7/14/09             | 0929020-05 | North Side Sidewalk Bridge              | 7/14/09               | 0.57                            | Mercury | EPA 324/1631      | BRL | 7/16/09                 | < 26.3                                | No                                | No                                       |          |
| TotalHg-ST11-7/14/09             | 0929020-06 | 90 Trinity Place (roof level)           | 7/14/09               | 0.59                            | Mercury | EPA 324/1631      | BRL | 7/16/09                 | < 25.4                                | No                                | No                                       |          |
| TotalHg-ST12-7/14/09             | 0929020-07 | 110 Greenwich Street (roof level)       | 7/14/09               | 0.56                            | Mercury | EPA 324/1631      | BRL | 7/16/09                 | < 26.8                                | No                                | No                                       |          |
| TotalHg-ST13-7/14/09             | 0929020-08 | Marriott Hotel, 38th Floor (roof level) | 7/14/09               | 0.57                            | Mercury | EPA 324/1631      | BRL | 7/16/09                 | < 26.3                                | No                                | No                                       |          |
| TotalHg-ST1-7/15/09              | 0929028-01 | Southwest Area (sidewalk bridge level)  | 7/15/09               | 0.57                            | Mercury | EPA 324/1631      | BRL | 7/17/09                 | < 26.3                                | No                                | No                                       |          |
| TotalHg-ST2-7/15/09              | 0929028-02 | Southeast Area (sidewalk bridge level)  | 7/15/09               | 0.56                            | Mercury | EPA 324/1631      | BRL | 7/17/09                 | < 26.8                                | No                                | No                                       |          |
| TotalHg-ST4-7/15/09              | 0929028-03 | Northwest Area (street-level)           | 7/15/09               | 0.57                            | Mercury | EPA 324/1631      | BRL | 7/17/09                 | < 26.3                                | No                                | No                                       |          |
| TotalHg-ST5-7/15/09              | 0929028-04 | Firehouse #10 (roof level)              | 7/15/09               | 0.59                            | Mercury | EPA 324/1631      | BRL | 7/17/09                 | < 25.4                                | No                                | No                                       |          |
| TotalHg-ST10-7/15/09             | 0929028-05 | North Side Sidewalk Bridge              | 7/15/09               | 0.56                            | Mercury | EPA 324/1631      | BRL | 7/17/09                 | < 26.8                                | No                                | No                                       |          |
| TotalHg-ST11-7/15/09             | 0929028-06 | 90 Trinity Place (roof level)           | 7/15/09               | 0.56                            | Mercury | EPA 324/1631      | BRL | 7/17/09                 | < 26.8                                | No                                | No                                       |          |
| TotalHg-ST12-7/15/09             | 0929028-07 | 110 Greenwich Street (roof level)       | 7/15/09               | 0.55                            | Mercury | EPA 324/1631      | BRL | 7/17/09                 | < 27.3                                | No                                | No                                       |          |
| TotalHg-ST13-7/15/09             | 0929028-08 | Marriott Hotel, 38th Floor (roof level) | 7/15/09               | 0.55                            | Mercury | EPA 324/1631      | BRL | 7/17/09                 | < 27.3                                | No                                | No                                       |          |