

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels									300			
EPA Site Specific Trigger Levels									3,000			
TotalHg-ST1-7/16/09	0929034-01	Southwest Area (sidewalk bridge level)	7/16/09	0.53	Mercury	EPA 324/1631	BRL	7/18/09	< 28.3	No	No	
TotalHg-ST2-7/16/09	0929034-02	Southeast Area (sidewalk bridge level)	7/16/09	0.52	Mercury	EPA 324/1631	BRL	7/18/09	< 28.9	No	No	
TotalHg-ST4-7/16/09	0929034-03	Northwest Area (street-level)	7/16/09	0.60	Mercury	EPA 324/1631	BRL	7/18/09	< 25.0	No	No	
TotalHg-ST5-7/16/09	0929034-04	Firehouse #10 (roof level)	7/16/09	0.56	Mercury	EPA 324/1631	BRL	7/18/09	< 26.8	No	No	
TotalHg-ST10-7/16/09	0929034-05	North Side Sidewalk Bridge	7/16/09	0.59	Mercury	EPA 324/1631	BRL	7/18/09	< 25.4	No	No	
TotalHg-ST11-7/16/09	0929034-06	90 Trinity Place (roof level)	7/16/09	0.55	Mercury	EPA 324/1631	BRL	7/18/09	< 27.3	No	No	
TotalHg-ST12-7/16/09	0929034-07	110 Greenwich Street (roof level)	7/16/09	0.58	Mercury	EPA 324/1631	BRL	7/18/09	< 25.9	No	No	
TotalHg-ST13-7/16/09	0929034-08	Marriott Hotel, 38th Floor (roof level)	7/16/09	0.57	Mercury	EPA 324/1631	BRL	7/18/09	< 26.3	No	No	
TotalHg-ST1-7/17/09	0930001-01	Southwest Area (sidewalk bridge level)	7/17/09	0.58	Mercury	EPA 324/1631	BRL	7/20/09	< 25.9	No	No	
TotalHg-ST2-7/17/09	0930001-02	Southeast Area (sidewalk bridge level)	7/17/09	0.57	Mercury	EPA 324/1631	BRL	7/20/09	< 26.3	No	No	
TotalHg-ST4-7/17/09	0930001-03	Northwest Area (street-level)	7/17/09	0.54	Mercury	EPA 324/1631	BRL	7/20/09	< 27.8	No	No	
TotalHg-ST5-7/17/09	0930001-04	Firehouse #10 (roof level)	7/17/09	0.56	Mercury	EPA 324/1631	BRL	7/20/09	< 26.8	No	No	
TotalHg-ST10-7/17/09	0930001-05	North Side Sidewalk Bridge	7/17/09	0.54	Mercury	EPA 324/1631	BRL	7/20/09	< 27.8	No	No	
TotalHg-ST11-7/17/09	0930001-06	90 Trinity Place (roof level)	7/17/09	0.55	Mercury	EPA 324/1631	BRL	7/20/09	< 27.3	No	No	
TotalHg-ST12-7/17/09	0930001-07	110 Greenwich Street (roof level)	7/17/09	0.56	Mercury	EPA 324/1631	BRL	7/20/09	< 26.8	No	No	
TotalHg-ST13-7/17/09	0930001-08	Marriott Hotel, 38th Floor (roof level)	7/17/09	0.55	Mercury	EPA 324/1631	BRL	7/20/09	< 27.3	No	No	