

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels									300			
EPA Site Specific Trigger Levels									3,000			
TotalHg-ST1-8/29/09	0936004-01	Southwest Area (sidewalk bridge level)	8/29/09	0.57	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 26.3	No	No	
TotalHg-ST2-8/29/09	0936004-02	Southeast Area (sidewalk bridge level)	8/29/09	0.57	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 26.3	No	No	
TotalHg-ST4-8/29/09	0936004-03	Northwest Area (street-level)	8/29/09	0.53	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 28.3	No	No	
TotalHg-ST5-8/29/09	0936004-04	Firehouse #10 (roof level)	8/29/09	0.58	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 25.9	No	No	
TotalHg-ST10-8/29/09	0936004-05	North Side Sidewalk Bridge	8/29/09	0.59	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 25.4	No	No	
TotalHg-ST11-8/29/09	0936004-06	90 Trinity Place (roof level)	8/29/09	0.56	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 26.8	No	No	
TotalHg-ST12-8/29/09	0936004-07	110 Greenwich Street (roof level)	8/29/09	0.57	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 26.3	No	No	
TotalHg-ST13-8/29/09	0936004-08	Marriott Hotel, 38th Floor (roof level)	8/29/09	0.56	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 26.8	No	No	
TotalHg-ST1-8/30/09	0936003-01	Southwest Area (sidewalk bridge level)	8/30/09	0.59	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 25.4	No	No	
TotalHg-ST2-8/30/09	0936003-02	Southeast Area (sidewalk bridge level)	8/30/09	0.59	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 25.4	No	No	
TotalHg-ST4-8/30/09	0936003-03	Northwest Area (street-level)	8/30/09	0.56	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 26.8	No	No	
TotalHg-ST5-8/30/09	0936003-04	Firehouse #10 (roof level)	8/30/09	0.54	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 27.8	No	No	
TotalHg-ST10-8/30/09	0936003-05	North Side Sidewalk Bridge	8/30/09	0.59	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 25.4	No	No	
TotalHg-ST11-8/30/09	0936003-06	90 Trinity Place (roof level)	8/30/09	0.60	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 25.0	No	No	
TotalHg-ST12-8/30/09	0936003-07	110 Greenwich Street (roof level)	8/30/09	0.59	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 25.4	No	No	
TotalHg-ST13-8/30/09	0936003-08	Marriott Hotel, 38th Floor (roof level)	8/30/09	0.53	Mercury	EPA 324/1631 Auto	BRL	9/1/09	< 28.3	No	No	