

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
									300			
									3,000			
TotalHg-ST1-8/30/07	0736001-01	Southwest Area (sidewalk bridge level)	8/30/07	0.56	Mercury	EPA 324/1631	BRL	9/1/07	< 27.0	No	No	
TotalHg-ST2-8/30/07	0736001-02	Southeast Area (sidewalk bridge level)	8/30/07	0.58	Mercury	EPA 324/1631	BRL	9/1/07	< 26.0	No	No	
TotalHg-ST4-8/30/07	0736001-03	Northwest Area (street-level)	8/30/07	0.57	Mercury	EPA 324/1631	BRL	9/1/07	< 26.0	No	No	
TotalHg-ST5-8/30/07	0736001-04	Firehouse #10 (roof level)	8/30/07	0.55	Mercury	EPA 324/1631	BRL	9/1/07	< 27.0	No	No	
TotalHg-ST10-8/30/07	0736001-05	North Side Sidewalk Bridge	8/30/07	0.54	Mercury	EPA 324/1631	BRL	9/1/07	< 28.0	No	No	
TotalHg-ST11-8/30/07	0736001-06	90 Trinity Place (roof level)	8/30/07	0.54	Mercury	EPA 324/1631	BRL	9/1/07	< 28.0	No	No	
TotalHg-ST12-8/30/07	0736001-07	110 Greenwich Street (roof level)	8/30/07	0.54	Mercury	EPA 324/1631	BRL	9/1/07	< 28.0	No	No	
TotalHg-ST13-8/30/07	0736001-08	Marriott Hotel, 38th Floor (roof level)	8/30/07	0.55	Mercury	EPA 324/1631	BRL	9/1/07	< 27.0	No	No	
TotalHg-ST14-8/30/07	0736001-09	West Face - South end at corner (scaffolding level)	8/30/07	0.55	Mercury	EPA 324/1631	BRL	9/1/07	< 27.0	No	No	
TotalHg-ST15-8/30/07	0736001-10	South Face - East end at corner (scaffolding level)	8/30/07	0.55	Mercury	EPA 324/1631	BRL	9/1/07	< 27.0	No	No	
TotalHg-ST16-8/30/07	0736001-11	East Face - North end at corner (scaffolding level)	8/30/07	0.57	Mercury	EPA 324/1631	BRL	9/1/07	< 26.0	No	No	
TotalHg-ST17-8/30/07	0736001-12	North Face - West end at corner (scaffolding level)	8/30/07	0.59	Mercury	EPA 324/1631	BRL	9/1/07	< 25.0	No	No	