

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m <sup>3</sup> )	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
<b>Target Air Quality Levels</b>									<b>300</b>			
<b>EPA Site Specific Trigger Levels</b>									<b>3,000</b>			
TotalHg-ST1-10/7/09	0941026-01	Southwest Area (sidewalk bridge level)	10/7/09	0.56	Mercury	EPA 324/1631 Auto	BRL	10/9/09	< 26.8	No	No	
TotalHg-ST2-10/7/09	0941026-02	Southeast Area (sidewalk bridge level)	10/7/09	0.59	Mercury	EPA 324/1631 Auto	BRL	10/9/09	< 25.4	No	No	
TotalHg-ST4-10/7/09	0941026-03	Northwest Area (street-level)	10/7/09	0.55	Mercury	EPA 324/1631 Auto	BRL	10/9/09	< 27.3	No	No	
TotalHg-ST5-10/7/09	0941026-04	Firehouse #10 (roof level)	10/7/09	0.56	Mercury	EPA 324/1631 Auto	BRL	10/9/09	< 26.8	No	No	
TotalHg-ST10-10/7/09	0941026-05	North Side Sidewalk Bridge	10/7/09	0.58	Mercury	EPA 324/1631 Auto	BRL	10/9/09	< 25.9	No	No	
TotalHg-ST11-10/7/09	0941026-06	90 Trinity Place (roof level)	10/7/09	0.59	Mercury	EPA 324/1631 Auto	BRL	10/9/09	< 25.4	No	No	
TotalHg-ST12-10/7/09	0941026-07	110 Greenwich Street (roof level)	10/7/09	0.57	Mercury	EPA 324/1631 Auto	BRL	10/9/09	< 26.3	No	No	
TotalHg-ST13-10/7/09	0941026-08	Marriott Hotel, 38th Floor (roof level)	10/7/09	0.57	Mercury	EPA 324/1631 Auto	BRL	10/9/09	< 26.3	No	No	
TotalHg-ST1-10/8/09	0941039-01	Southwest Area (sidewalk bridge level)	10/8/09	0.53	Mercury	EPA 324/1631 Auto	BRL	10/10/09	< 28.3	No	No	
TotalHg-ST2-10/8/09	0941039-02	Southeast Area (sidewalk bridge level)	10/8/09	0.56	Mercury	EPA 324/1631 Auto	BRL	10/10/09	< 26.8	No	No	
TotalHg-ST4-10/8/09	0941039-03	Northwest Area (street-level)	10/8/09	0.52	Mercury	EPA 324/1631 Auto	BRL	10/10/09	< 28.9	No	No	
TotalHg-ST5-10/8/09	0941039-04	Firehouse #10 (roof level)	10/8/09	0.55	Mercury	EPA 324/1631 Auto	BRL	10/10/09	< 27.3	No	No	
TotalHg-ST10-10/8/09	0941039-05	North Side Sidewalk Bridge	10/8/09	0.55	Mercury	EPA 324/1631 Auto	BRL	10/10/09	< 27.3	No	No	
TotalHg-ST11-10/8/09	0941039-06	90 Trinity Place (roof level)	10/8/09	0.58	Mercury	EPA 324/1631 Auto	BRL	10/10/09	< 25.9	No	No	
TotalHg-ST12-10/8/09	0941039-07	110 Greenwich Street (roof level)	10/8/09	0.54	Mercury	EPA 324/1631 Auto	BRL	10/10/09	< 27.8	No	No	
TotalHg-ST13-10/8/09	0941039-08	Marriott Hotel, 38th Floor (roof level)	10/8/09	0.53	Mercury	EPA 324/1631 Auto	BRL	10/10/09	< 28.3	No	No	
TotalHg-ST1-10/9/09	0942001-01	Southwest Area (sidewalk bridge level)	10/9/09	0.58	Mercury	EPA 324/1631 Auto	BRL	10/12/09	< 25.9	No	No	
TotalHg-ST2-10/9/09	0942001-02	Southeast Area (sidewalk bridge level)	10/9/09	0.57	Mercury	EPA 324/1631 Auto	BRL	10/12/09	< 26.3	No	No	
TotalHg-ST4-10/9/09	0942001-03	Northwest Area (street-level)	10/9/09	0.54	Mercury	EPA 324/1631 Auto	BRL	10/12/09	< 27.8	No	No	
TotalHg-ST5-10/9/09	0942001-04	Firehouse #10 (roof level)	10/9/09	0.55	Mercury	EPA 324/1631 Auto	BRL	10/12/09	< 27.3	No	No	
TotalHg-ST10-10/9/09	0942001-05	North Side Sidewalk Bridge	10/9/09	0.53	Mercury	EPA 324/1631 Auto	BRL	10/12/09	< 28.3	No	No	
TotalHg-ST11-10/9/09	0942001-06	90 Trinity Place (roof level)	10/9/09	0.58	Mercury	EPA 324/1631 Auto	BRL	10/12/09	< 25.9	No	No	
TotalHg-ST12-10/9/09	0942001-07	110 Greenwich Street (roof level)	10/9/09	0.57	Mercury	EPA 324/1631 Auto	BRL	10/12/09	< 26.3	No	No	
TotalHg-ST13-10/9/09	0942001-08	Marriott Hotel, 38th Floor (roof level)	10/9/09	0.55	Mercury	EPA 324/1631 Auto	BRL	10/12/09	< 27.3	No	No	