

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
									300			
									3,000			
TotalHg-ST1-12/21/06	06BR2013-01	Southwest Area (sidewalk bridge level)	12/21/06	0.55	Mercury	EPA 324/1631	BRL	12/23/06	< 27.0	No	No	
TotalHg-ST2-12/21/06	06BR2013-02	Southeast Area (sidewalk bridge level)	12/21/06	0.56	Mercury	EPA 324/1631	BRL	12/23/06	< 27.0	No	No	
TotalHg-ST4-12/21/06	06BR2013-03	Northwest Area (street-level)	12/21/06	0.54	Mercury	EPA 324/1631	BRL	12/23/06	< 28.0	No	No	
TotalHg-ST5-12/21/06	06BR2013-04	Firehouse #10 (roof level)	12/21/06	0.53	Mercury	EPA 324/1631	BRL	12/23/06	< 28.0	No	No	
TotalHg-ST10-12/21/06	06BR2013-05	North Side Sidewalk Bridge	12/21/06	0.53	Mercury	EPA 324/1631	BRL	12/23/06	< 28.0	No	No	
TotalHg-ST11-12/21/06	06BR2013-06	90 Trinity Place (roof level)	12/21/06	0.59	Mercury	EPA 324/1631	BRL	12/23/06	< 25.0	No	No	
TotalHg-ST12-12/21/06	06BR2013-07	110 Greenwich Street (roof level)	12/21/06	0.52	Mercury	EPA 324/1631	BRL	12/23/06	< 29.0	No	No	
TotalHg-ST13-12/21/06	06BR2013-08	Marriott Hotel, 38th Floor (roof level)	12/21/06	0.55	Mercury	EPA 324/1631	BRL	12/23/06	< 27.0	No	No	
TotalHg-ST14-12/21/06	06BR2013-09	West Face - South end at corner (scaffolding level)	12/21/06	0.52	Mercury	EPA 324/1631	BRL	12/23/06	< 29.0	No	No	
TotalHg-ST15-12/21/06	06BR2013-10	South Face - East end at corner (scaffolding level)	12/21/06	0.57	Mercury	EPA 324/1631	BRL	12/23/06	< 26.0	No	No	
TotalHg-ST16-12/21/06	06BR2013-11	East Face - North end at corner (scaffolding level)	12/21/06	0.57	Mercury	EPA 324/1631	BRL	12/23/06	< 26.0	No	No	
TotalHg-ST17-12/21/06	06BR2013-12	North Face - West end at corner (scaffolding level)	12/21/06	0.53	Mercury	EPA 324/1631	BRL	12/23/06	< 28.0	No	No	