

LMDC Summary of Metals in Air

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

<u>Date Collected</u>	<u>Sample Location</u>	<u>Parameter</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
4/1/05	Washington Street/Albany Street	Barium, Total	<0.890	µg/m ³	500	
4/1/05	Washington Street/Albany Street	Beryllium, Total	<0.036	µg/m ³	1	
4/1/05	Washington Street/Albany Street	Cadmium, Total	<0.036	µg/m ³	2.5	
4/1/05	Washington Street/Albany Street	Chromium, Total	<0.089	µg/m ³	500	
4/1/05	Washington Street/Albany Street	Copper, Total	<0.178	µg/m ³	500	
4/1/05	Washington Street/Albany Street	Lead, Total	<0.089	µg/m ³	30	
4/1/05	Washington Street/Albany Street	Manganese, Total	<0.133	µg/m ³	1000	
4/1/05	Washington Street/Albany Street	Nickel, Total	<0.178	µg/m ³	500	
4/1/05	Washington Street/Albany Street	Zinc, Total	<0.178	µg/m ³	2500	
4/1/05	Albany Street/Greenwich Street	Barium, Total	<0.867	µg/m ³	500	
4/1/05	Albany Street/Greenwich Street	Beryllium, Total	<0.035	µg/m ³	1	
4/1/05	Albany Street/Greenwich Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/1/05	Albany Street/Greenwich Street	Chromium, Total	<0.087	µg/m ³	500	
4/1/05	Albany Street/Greenwich Street	Copper, Total	<0.173	µg/m ³	500	
4/1/05	Albany Street/Greenwich Street	Lead, Total	<0.087	µg/m ³	30	
4/1/05	Albany Street/Greenwich Street	Manganese, Total	<0.130	µg/m ³	1000	
4/1/05	Albany Street/Greenwich Street	Nickel, Total	<0.173	µg/m ³	500	
4/1/05	Albany Street/Greenwich Street	Zinc, Total	<0.173	µg/m ³	2500	
4/1/05	Greenwich Street	Barium, Total	<0.867	µg/m ³	500	
4/1/05	Greenwich Street	Beryllium, Total	<0.035	µg/m ³	1	
4/1/05	Greenwich Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/1/05	Greenwich Street	Chromium, Total	<0.087	µg/m ³	500	
4/1/05	Greenwich Street	Copper, Total	<0.173	µg/m ³	500	
4/1/05	Greenwich Street	Lead, Total	<0.087	µg/m ³	30	
4/1/05	Greenwich Street	Manganese, Total	<0.130	µg/m ³	1000	
4/1/05	Greenwich Street	Nickel, Total	<0.173	µg/m ³	500	
4/1/05	Greenwich Street	Zinc, Total	<0.173	µg/m ³	2500	
4/1/05	Greenwich Street/Liberty Street	Barium, Total	<0.890	µg/m ³	500	
4/1/05	Greenwich Street/Liberty Street	Beryllium, Total	<0.036	µg/m ³	1	
4/1/05	Greenwich Street/Liberty Street	Cadmium, Total	<0.036	µg/m ³	2.5	
4/1/05	Greenwich Street/Liberty Street	Chromium, Total	<0.089	µg/m ³	500	
4/1/05	Greenwich Street/Liberty Street	Copper, Total	<0.178	µg/m ³	500	
4/1/05	Greenwich Street/Liberty Street	Lead, Total	<0.089	µg/m ³	30	
4/1/05	Greenwich Street/Liberty Street	Manganese, Total	<0.133	µg/m ³	1000	
4/1/05	Greenwich Street/Liberty Street	Nickel, Total	<0.178	µg/m ³	500	
4/1/05	Greenwich Street/Liberty Street	Zinc, Total	<0.178	µg/m ³	2500	
4/1/05	Washington Street/Cedar Street	Barium, Total	<0.868	µg/m ³	500	
4/1/05	Washington Street/Cedar Street	Beryllium, Total	<0.035	µg/m ³	1	
4/1/05	Washington Street/Cedar Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/1/05	Washington Street/Cedar Street	Chromium, Total	<0.087	µg/m ³	500	
4/1/05	Washington Street/Cedar Street	Copper, Total	<0.174	µg/m ³	500	
4/1/05	Washington Street/Cedar Street	Lead, Total	<0.087	µg/m ³	30	
4/1/05	Washington Street/Cedar Street	Manganese, Total	<0.130	µg/m ³	1000	
4/1/05	Washington Street/Cedar Street	Nickel, Total	<0.174	µg/m ³	500	
4/1/05	Washington Street/Cedar Street	Zinc, Total	<0.174	µg/m ³	2500	
4/2/05	Washington Street/Albany Street	Barium, Total	<0.890	µg/m ³	500	
4/2/05	Washington Street/Albany Street	Beryllium, Total	<0.036	µg/m ³	1	

CC = Comparison Criteria
 >CC = Exceeds Comparison Criteria

LMDC Summary of Metals in Air

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

Date Collected	Sample Location	Parameter	Results	Units	CC	Flag
4/2/05	Washington Street/Albany Street	Cadmium, Total	<0.036	µg/m ³	2.5	
4/2/05	Washington Street/Albany Street	Chromium, Total	<0.089	µg/m ³	500	
4/2/05	Washington Street/Albany Street	Copper, Total	<0.178	µg/m ³	500	
4/2/05	Washington Street/Albany Street	Lead, Total	<0.089	µg/m ³	30	
4/2/05	Washington Street/Albany Street	Manganese, Total	<0.133	µg/m ³	1000	
4/2/05	Washington Street/Albany Street	Nickel, Total	<0.178	µg/m ³	500	
4/2/05	Washington Street/Albany Street	Zinc, Total	<0.178	µg/m ³	2500	
4/2/05	Albany Street/Greenwich Street	Barium, Total	<0.867	µg/m ³	500	
4/2/05	Albany Street/Greenwich Street	Beryllium, Total	<0.035	µg/m ³	1	
4/2/05	Albany Street/Greenwich Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/2/05	Albany Street/Greenwich Street	Chromium, Total	<0.087	µg/m ³	500	
4/2/05	Albany Street/Greenwich Street	Copper, Total	<0.173	µg/m ³	500	
4/2/05	Albany Street/Greenwich Street	Lead, Total	<0.087	µg/m ³	30	
4/2/05	Albany Street/Greenwich Street	Manganese, Total	<0.130	µg/m ³	1000	
4/2/05	Albany Street/Greenwich Street	Nickel, Total	<0.173	µg/m ³	500	
4/2/05	Albany Street/Greenwich Street	Zinc, Total	<0.173	µg/m ³	2500	
4/2/05	Greenwich Street	Barium, Total	<0.867	µg/m ³	500	
4/2/05	Greenwich Street	Beryllium, Total	<0.035	µg/m ³	1	
4/2/05	Greenwich Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/2/05	Greenwich Street	Chromium, Total	<0.087	µg/m ³	500	
4/2/05	Greenwich Street	Copper, Total	<0.173	µg/m ³	500	
4/2/05	Greenwich Street	Lead, Total	<0.087	µg/m ³	30	
4/2/05	Greenwich Street	Manganese, Total	<0.130	µg/m ³	1000	
4/2/05	Greenwich Street	Nickel, Total	<0.173	µg/m ³	500	
4/2/05	Greenwich Street	Zinc, Total	<0.173	µg/m ³	2500	
4/2/05	Greenwich Street/Liberty Street	Barium, Total	<0.867	µg/m ³	500	
4/2/05	Greenwich Street/Liberty Street	Beryllium, Total	<0.035	µg/m ³	1	
4/2/05	Greenwich Street/Liberty Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/2/05	Greenwich Street/Liberty Street	Chromium, Total	<0.087	µg/m ³	500	
4/2/05	Greenwich Street/Liberty Street	Copper, Total	<0.173	µg/m ³	500	
4/2/05	Greenwich Street/Liberty Street	Lead, Total	<0.087	µg/m ³	30	
4/2/05	Greenwich Street/Liberty Street	Manganese, Total	<0.130	µg/m ³	1000	
4/2/05	Greenwich Street/Liberty Street	Nickel, Total	<0.173	µg/m ³	500	
4/2/05	Greenwich Street/Liberty Street	Zinc, Total	<0.173	µg/m ³	2500	
4/2/05	Washington Street/Cedar Street	Barium, Total	<0.868	µg/m ³	500	
4/2/05	Washington Street/Cedar Street	Beryllium, Total	<0.035	µg/m ³	1	
4/2/05	Washington Street/Cedar Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/2/05	Washington Street/Cedar Street	Chromium, Total	<0.087	µg/m ³	500	
4/2/05	Washington Street/Cedar Street	Copper, Total	<0.174	µg/m ³	500	
4/2/05	Washington Street/Cedar Street	Lead, Total	<0.087	µg/m ³	30	
4/2/05	Washington Street/Cedar Street	Manganese, Total	<0.130	µg/m ³	1000	
4/2/05	Washington Street/Cedar Street	Nickel, Total	<0.174	µg/m ³	500	
4/2/05	Washington Street/Cedar Street	Zinc, Total	<0.174	µg/m ³	2500	
4/3/05	Washington Street/Albany Street	Barium, Total	<0.869	µg/m ³	500	
4/3/05	Washington Street/Albany Street	Beryllium, Total	<0.035	µg/m ³	1	
4/3/05	Washington Street/Albany Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/3/05	Washington Street/Albany Street	Chromium, Total	<0.087	µg/m ³	500	
4/3/05	Washington Street/Albany Street	Copper, Total	<0.174	µg/m ³	500	

CC = Comparison Criteria
 >CC = Exceeds Comparison Criteria

LMDC Summary of Metals in Air

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

Date Collected	Sample Location	Parameter	Results	Units	CC	Flag
4/3/05	Washington Street/Albany Street	Lead, Total	<0.087	µg/m ³	30	
4/3/05	Washington Street/Albany Street	Manganese, Total	<0.130	µg/m ³	1000	
4/3/05	Washington Street/Albany Street	Nickel, Total	<0.174	µg/m ³	500	
4/3/05	Washington Street/Albany Street	Zinc, Total	<0.174	µg/m ³	2500	
4/3/05	Albany Street/Greenwich Street	Barium, Total	<0.869	µg/m ³	500	
4/3/05	Albany Street/Greenwich Street	Beryllium, Total	<0.035	µg/m ³	1	
4/3/05	Albany Street/Greenwich Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/3/05	Albany Street/Greenwich Street	Chromium, Total	<0.087	µg/m ³	500	
4/3/05	Albany Street/Greenwich Street	Copper, Total	<0.174	µg/m ³	500	
4/3/05	Albany Street/Greenwich Street	Lead, Total	<0.087	µg/m ³	30	
4/3/05	Albany Street/Greenwich Street	Manganese, Total	<0.130	µg/m ³	1000	
4/3/05	Albany Street/Greenwich Street	Nickel, Total	<0.174	µg/m ³	500	
4/3/05	Albany Street/Greenwich Street	Zinc, Total	<0.174	µg/m ³	2500	
4/3/05	Greenwich Street	Barium, Total	<0.869	µg/m ³	500	
4/3/05	Greenwich Street	Beryllium, Total	<0.035	µg/m ³	1	
4/3/05	Greenwich Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/3/05	Greenwich Street	Chromium, Total	<0.087	µg/m ³	500	
4/3/05	Greenwich Street	Copper, Total	<0.174	µg/m ³	500	
4/3/05	Greenwich Street	Lead, Total	<0.087	µg/m ³	30	
4/3/05	Greenwich Street	Manganese, Total	<0.130	µg/m ³	1000	
4/3/05	Greenwich Street	Nickel, Total	<0.174	µg/m ³	500	
4/3/05	Greenwich Street	Zinc, Total	<0.174	µg/m ³	2500	
4/3/05	Greenwich Street/Liberty Street	Barium, Total	<0.869	µg/m ³	500	
4/3/05	Greenwich Street/Liberty Street	Beryllium, Total	<0.035	µg/m ³	1	
4/3/05	Greenwich Street/Liberty Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/3/05	Greenwich Street/Liberty Street	Chromium, Total	<0.087	µg/m ³	500	
4/3/05	Greenwich Street/Liberty Street	Copper, Total	<0.174	µg/m ³	500	
4/3/05	Greenwich Street/Liberty Street	Lead, Total	<0.087	µg/m ³	30	
4/3/05	Greenwich Street/Liberty Street	Manganese, Total	<0.130	µg/m ³	1000	
4/3/05	Greenwich Street/Liberty Street	Nickel, Total	<0.174	µg/m ³	500	
4/3/05	Greenwich Street/Liberty Street	Zinc, Total	<0.174	µg/m ³	2500	
4/3/05	Washington Street/Cedar Street	Barium, Total	<0.880	µg/m ³	500	
4/3/05	Washington Street/Cedar Street	Beryllium, Total	<0.035	µg/m ³	1	
4/3/05	Washington Street/Cedar Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/3/05	Washington Street/Cedar Street	Chromium, Total	<0.088	µg/m ³	500	
4/3/05	Washington Street/Cedar Street	Copper, Total	<0.176	µg/m ³	500	
4/3/05	Washington Street/Cedar Street	Lead, Total	<0.088	µg/m ³	30	
4/3/05	Washington Street/Cedar Street	Manganese, Total	<0.132	µg/m ³	1000	
4/3/05	Washington Street/Cedar Street	Nickel, Total	<0.176	µg/m ³	500	
4/3/05	Washington Street/Cedar Street	Zinc, Total	<0.176	µg/m ³	2500	
4/4/05	Washington Street/Albany Street	Barium, Total	<0.868	µg/m ³	500	
4/4/05	Washington Street/Albany Street	Beryllium, Total	<0.035	µg/m ³	1	
4/4/05	Washington Street/Albany Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/4/05	Washington Street/Albany Street	Chromium, Total	<0.087	µg/m ³	500	
4/4/05	Washington Street/Albany Street	Copper, Total	<0.174	µg/m ³	500	
4/4/05	Washington Street/Albany Street	Lead, Total	1.1900	µg/m ³	30	
4/4/05	Washington Street/Albany Street	Manganese, Total	<0.130	µg/m ³	1000	
4/4/05	Washington Street/Albany Street	Nickel, Total	<0.174	µg/m ³	500	

CC = Comparison Criteria
 >CC = Exceeds Comparison Criteria

LMDC Summary of Metals in Air

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

Date Collected	Sample Location	Parameter	Results	Units	CC	Flag
4/4/05	Washington Street/Albany Street	Zinc, Total	<0.174	µg/m ³	2500	
4/4/05	Albany Street/Greenwich Street	Barium, Total	<0.868	µg/m ³	500	
4/4/05	Albany Street/Greenwich Street	Beryllium, Total	<0.035	µg/m ³	1	
4/4/05	Albany Street/Greenwich Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/4/05	Albany Street/Greenwich Street	Chromium, Total	<0.087	µg/m ³	500	
4/4/05	Albany Street/Greenwich Street	Copper, Total	<0.174	µg/m ³	500	
4/4/05	Albany Street/Greenwich Street	Lead, Total	0.8770	µg/m ³	30	
4/4/05	Albany Street/Greenwich Street	Manganese, Total	<0.130	µg/m ³	1000	
4/4/05	Albany Street/Greenwich Street	Nickel, Total	<0.174	µg/m ³	500	
4/4/05	Albany Street/Greenwich Street	Zinc, Total	<0.174	µg/m ³	2500	
4/4/05	Greenwich Street	Barium, Total	<0.879	µg/m ³	500	
4/4/05	Greenwich Street	Beryllium, Total	<0.035	µg/m ³	1	
4/4/05	Greenwich Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/4/05	Greenwich Street	Chromium, Total	<0.088	µg/m ³	500	
4/4/05	Greenwich Street	Copper, Total	<0.176	µg/m ³	500	
4/4/05	Greenwich Street	Lead, Total	<0.088	µg/m ³	30	
4/4/05	Greenwich Street	Manganese, Total	<0.132	µg/m ³	1000	
4/4/05	Greenwich Street	Nickel, Total	<0.176	µg/m ³	500	
4/4/05	Greenwich Street	Zinc, Total	<0.176	µg/m ³	2500	
4/4/05	Greenwich Street/Liberty Street	Barium, Total	<0.868	µg/m ³	500	
4/4/05	Greenwich Street/Liberty Street	Beryllium, Total	<0.035	µg/m ³	1	
4/4/05	Greenwich Street/Liberty Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/4/05	Greenwich Street/Liberty Street	Chromium, Total	<0.087	µg/m ³	500	
4/4/05	Greenwich Street/Liberty Street	Copper, Total	<0.174	µg/m ³	500	
4/4/05	Greenwich Street/Liberty Street	Lead, Total	<0.087	µg/m ³	30	
4/4/05	Greenwich Street/Liberty Street	Manganese, Total	<0.130	µg/m ³	1000	
4/4/05	Greenwich Street/Liberty Street	Nickel, Total	<0.174	µg/m ³	500	
4/4/05	Greenwich Street/Liberty Street	Zinc, Total	<0.174	µg/m ³	2500	
4/4/05	Washington Street/Cedar Street	Barium, Total	<0.877	µg/m ³	500	
4/4/05	Washington Street/Cedar Street	Beryllium, Total	<0.035	µg/m ³	1	
4/4/05	Washington Street/Cedar Street	Cadmium, Total	<0.035	µg/m ³	2.5	
4/4/05	Washington Street/Cedar Street	Chromium, Total	<0.088	µg/m ³	500	
4/4/05	Washington Street/Cedar Street	Copper, Total	<0.175	µg/m ³	500	
4/4/05	Washington Street/Cedar Street	Lead, Total	<0.088	µg/m ³	30	
4/4/05	Washington Street/Cedar Street	Manganese, Total	<0.132	µg/m ³	1000	
4/4/05	Washington Street/Cedar Street	Nickel, Total	<0.175	µg/m ³	500	
4/4/05	Washington Street/Cedar Street	Zinc, Total	<0.175	µg/m ³	2500	

CC = Comparison Criteria
 >CC = Exceeds Comparison Criteria