

| TRC Field Sample No.             | Sample No.   | Sampling Location                                   | Collection Start Date | Sample Volume (m <sup>3</sup> ) | Analyte | Analytical Method | Lab     | Lab Sample Receipt Date | Antimony Concentration (ng/m <sup>3</sup> ) | Barium Concentration (ng/m <sup>3</sup> ) | Beryllium Concentration (ng/m <sup>3</sup> ) | Cadmium Concentration (ng/m <sup>3</sup> ) | Chromium (Total) Concentration (ng/m <sup>3</sup> ) | Copper Concentration (ng/m <sup>3</sup> ) | Lead Concentration (ng/m <sup>3</sup> ) | Manganese Concentration (ng/m <sup>3</sup> ) | Nickel Concentration (ng/m <sup>3</sup> ) | Zinc Concentration (ng/m <sup>3</sup> ) | Exceeds Target     | Exceeds EPA                  | Comments |
|----------------------------------|--------------|---|-----------------------|---------------------------------|---------|-------------------|---------|-------------------------|---|---|--|--|---|---|---|--|---|---|--------------------|------------------------------|----------|
| Target Air Quality Levels        |              |   |                       |                                 |         |                   |         |                         | 5,000                                       | 5,000                                     | 20   | 40   | 600   | 100,000                                   | 1,500                                   | 500  | 200                                       | 160,000                                 |                    |                              |          |
| EPA Site Specific Trigger Levels |              |   |                       |                                 |         |                   |         |                         | 14,000                                      | 5,000                                     | 200  | 2,000                                      | 600   | 100,000                                   | 5,000                                   | 500  | 28,000                                    | 160,000                                 | Air Quality Levels | Site Specific Trigger Levels | Comments |
| METALS-ST11-6/30/06              | G6G050155001 | Southwest Area (sidewalk bridge level)              | 6/30/06               | 1722.7                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 2.2   | < 69.6                                    | < 0.70                                       | < 0.70                                     | < 7.0   | 375                                       | 38.4                                    | 30.0   | 7.7                                       | 67.3                                    | No                 | No                           |          |
| METALS-ST2-6/30/06               | G6G050155002 | Southeast Area (sidewalk bridge level)              | 6/30/06               | 1698.4                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 2.2   | < 70.6                                    | < 0.71                                       | < 0.71                                     | < 7.1   | 116                                       | 14.2                                    | 29.3   | 7.5                                       | 57.1                                    | No                 | No                           |          |
| METALS-ST4-6/30/06               | G6G050155003 | Northwest Area (street-level)                       | 6/30/06               | 1785.3                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 3.0   | < 67.2                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 129                                       | 57.7                                    | 25.8   | 9.0                                       | 122                                     | No                 | No                           |          |
| METALS-ST5-6/30/06               | G6G050155004 | Firehouse #10 (roof level)                          | 6/30/06               | 1793                            | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.8   | < 66.9                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 237                                       | 13.1                                    | 23.2   | 7.8                                       | 53.9                                    | No                 | No                           |          |
| METALS-ST10-6/30/06              | G6G050155005 | North Side Sidewalk Bridge                          | 6/30/06               | 1798.5                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.7   | < 66.7                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 90.8                                      | 16.0                                    | 17.9   | 8.2                                       | 46.6                                    | No                 | No                           |          |
| METALS-ST11-6/30/06              | G6G050155006 | 90 Trinity Place (roof level)                       | 6/30/06               | 1800.4                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.5   | < 66.6                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 61.6                                      | 9.0                                     | 14.3   | 8.1                                       | 41.8                                    | No                 | No                           |          |
| METALS-ST12-6/30/06              | G6G050155007 | 110 Greenwich Street (roof level)                   | 6/30/06               | 1714.2                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.5   | < 70.0                                    | < 0.70                                       | < 0.70                                     | < 7.0   | 305                                       | 8.8                                     | 11.1   | 6.5                                       | 38.6                                    | No                 | No                           |          |
| METALS-ST13-6/30/06              | G6G050155008 | Marriott Hotel, 38th Floor (roof level)             | 6/30/06               | 1779.5                          | Metals  | 6020              | STL-SAC | 7/5/06                  | < 1.3                                       | < 67.4                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 35.1                                      | 6.2                                     | 9.7  | 7.8                                       | 32.3                                    | No                 | No                           |          |
| METALS-ST14-6/30/06              | G6G050155009 | West Face - South end at corner (scalloiding level) | 6/30/06               | 1750.1                          | Metals  | 6020              | STL-SAC | 7/5/06                  | < 1.4                                       | < 68.6                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 40.8                                      | 6.6                                     | 8.6  | 6.2                                       | 32.2                                    | No                 | No                           |          |
| METALS-ST15-6/30/06              | G6G050155010 | South Face - East end at corner (scalloiding level) | 6/30/06               | 1765.2                          | Metals  | 6020              | STL-SAC | 7/5/06                  | < 1.4                                       | < 68.0                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 123                                       | 7.5                                     | 10.4   | 6.7                                       | 35.6                                    | No                 | No                           |          |
| METALS-ST16-6/30/06              | G6G050155011 | East Face - North end at corner (scalloiding level) | 6/30/06               | 1736                            | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.5   | < 69.1                                    | < 0.69                                       | < 0.69                                     | < 6.9   | 193                                       | 9.0                                     | 13.7   | 7.2                                       | 40.2                                    | No                 | No                           |          |
| METALS-ST17-6/30/06              | G6G050155012 | North Face - West end at corner (scalloiding level) | 6/30/06               | 1742.6                          | Metals  | 6020              | STL-SAC | 7/5/06                  | < 1.4                                       | < 68.9                                    | < 0.69                                       | < 0.69                                     | < 6.9   | 141                                       | 7.0                                     | 9.1  | 5.9                                       | 36.9                                    | No                 | No                           |          |
| METALS-ST11-7/1/06               | G6G050151001 | Southwest Area (sidewalk bridge level)              | 7/1/06                | 1753                            | Metals  | 6020              | STL-SAC | 7/5/06                  | 2.8   | < 68.8                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 168                                       | 16.1                                    | 15.8   | 8.2                                       | 60.7                                    | No                 | No                           |          |
| METALS-ST12-7/1/06               | G6G050151002 | Southeast Area (sidewalk bridge level)              | 7/1/06                | 1767                            | Metals  | 6020              | STL-SAC | 7/5/06                  | 2.2   | < 68.8                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 102                                       | 12.6                                    | 11.5   | 7.1                                       | 49.9                                    | No                 | No                           |          |
| METALS-ST4-7/1/06                | G6G050151003 | Northwest Area (street-level)                       | 7/1/06                | 1728.5                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 2.3   | < 69.4                                    | < 0.69                                       | < 0.69                                     | < 6.9   | 113                                       | 18.9                                    | 10.6   | 6.0                                       | 44.9                                    | No                 | No                           |          |
| METALS-ST5-7/1/06                | G6G050151013 | Firehouse #10 (roof level)                          | 7/1/06                | 1802                            | Metals  | 6020              | STL-SAC | 7/5/06                  | 2.2   | < 66.6                                    | < 0.66                                       | < 0.66                                     | < 6.6   | 214                                       | 16.0                                    | 22.6   | 6.8                                       | 58.8                                    | No                 | No                           |          |
| METALS-ST10-7/1/06               | G6G050151004 | North Side Sidewalk Bridge                          | 7/1/06                | 1733                            | Metals  | 6020              | STL-SAC | 7/5/06                  | 2.3   | < 69.2                                    | < 0.69                                       | < 0.69                                     | < 6.9   | 96.6                                      | 14.2                                    | 19.3   | 6.6                                       | 55.8                                    | No                 | No                           |          |
| METALS-ST11-7/1/06               | G6G050151005 | 90 Trinity Place (roof level)                       | 7/1/06                | 1750.2                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.7   | < 68.6                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 34.8                                      | 12.5                                    | 11.6   | 6.9                                       | 44.8                                    | No                 | No                           |          |
| METALS-ST12-7/1/06               | G6G050151006 | 110 Greenwich Street (roof level)                   | 7/1/06                | 1754.9                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.8   | < 68.4                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 196                                       | 11.6                                    | 10.5   | 7.2                                       | 44.6                                    | No                 | No                           |          |
| METALS-ST13-7/1/06               | G6G050151007 | Marriott Hotel, 38th Floor (roof level)             | 7/1/06                | 1786.6                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.6   | < 67.2                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 21.2                                      | 11.4                                    | 9.6  | 6.8                                       | 41.0                                    | No                 | No                           |          |
| METALS-ST14-7/1/06               | G6G050151008 | West Face - South end at corner (scalloiding level) | 7/1/06                | 1755.2                          | Metals  | 6020              | STL-SAC | 7/5/06                  | < 1.4                                       | < 68.8                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 20.1                                      | 10.8                                    | 9.2  | 5.6                                       | 38.9                                    | No                 | No                           |          |
| METALS-ST15-7/1/06               | G6G050151009 | South Face - East end at corner (scalloiding level) | 7/1/06                | 1805.4                          | Metals  | 6020              | STL-SAC | 7/5/06                  | < 1.3                                       | < 68.5                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 49.4                                      | 9.8                                     | 8.2  | 6.1                                       | 33.2                                    | No                 | No                           |          |
| METALS-ST16-7/1/06               | G6G050151010 | East Face - North end at corner (scalloiding level) | 7/1/06                | 1779.2                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.6   | < 67.4                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 109                                       | 10.1                                    | 10.9   | 5.4                                       | 38.4                                    | No                 | No                           |          |
| METALS-ST17-7/1/06               | G6G050151011 | North Face - West end at corner (scalloiding level) | 7/1/06                | 1807.2                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.4   | < 66.4                                    | < 0.66                                       | < 0.66                                     | < 6.6   | 95.0                                      | 9.7                                     | 10.4   | 5.3                                       | 34.4                                    | No                 | No                           |          |
| METALS-ST2-7/2/06                | G6G050145001 | Southeast Area (sidewalk bridge level)              | 7/2/06                | 1770.1                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 2.2   | < 68.8                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 99.7                                      | 12.6                                    | 18.1   | 6.1                                       | 49.7                                    | No                 | No                           |          |
| METALS-ST4-7/2/06                | G6G050145002 | Northwest Area (street-level)                       | 7/2/06                | 1751.7                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 2.6   | < 68.5                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 191                                       | 19.2                                    | 24.2   | 6.6                                       | 107                                     | No                 | No                           |          |
| METALS-ST5-7/2/06                | G6G050145003 | Firehouse #10 (roof level)                          | 7/2/06                | 1774.7                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 2.1   | < 67.6                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 146                                       | 16.4                                    | 20.6   | 6.0                                       | 60.1                                    | No                 | No                           |          |
| METALS-ST10-7/2/06               | G6G050145004 | North Side Sidewalk Bridge                          | 7/2/06                | 1762.8                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 2.2   | < 68.1                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 130                                       | 41.1                                    | 23.7   | 6.7                                       | 76.5                                    | No                 | No                           |          |
| METALS-ST11-7/2/06               | G6G050145005 | 90 Trinity Place (roof level)                       | 7/2/06                | 1719.5                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.7   | < 69.8                                    | < 0.70                                       | < 0.70                                     | < 7.0   | 36.8                                      | 10.0                                    | 11.9   | 5.4                                       | 36.6                                    | No                 | No                           |          |
| METALS-ST13-7/2/06               | G6G050145006 | Marriott Hotel, 38th Floor (roof level)             | 7/2/06                | 1869.9                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.5   | < 64.5                                    | < 0.64                                       | < 0.64                                     | < 6.4   | 21.7                                      | 10.2                                    | 10.9   | 5.7                                       | 26.8                                    | No                 | No                           |          |
| METALS-ST14-7/2/06               | G6G050145007 | West Face - South end at corner (scalloiding level) | 7/2/06                | 1888.7                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.6   | < 63.5                                    | < 0.64                                       | < 0.64                                     | < 6.4   | 28.6                                      | 11.6                                    | 5.6  | 5.6                                       | 53.1                                    | No                 | No                           |          |
| METALS-ST15-7/2/06               | G6G050145008 | South Face - East end at corner (scalloiding level) | 7/2/06                | 1931                            | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.7   | < 62.1                                    | < 0.62                                       | < 0.62                                     | < 6.2   | 52.8                                      | 13.3                                    | 12.5   | 6.0                                       | 58.5                                    | No                 | No                           |          |
| METALS-ST16-7/2/06               | G6G050145009 | East Face - North end at corner (scalloiding level) | 7/2/06                | 1890.7                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.9   | < 63.5                                    | < 0.63                                       | < 0.63                                     | < 6.3   | 174                                       | 14.7                                    | 15.4   | 6.2                                       | 55.2                                    | No                 | No                           |          |
| METALS-ST17-7/2/06               | G6G050145010 | North Face - West end at corner (scalloiding level) | 7/2/06                | 1892.5                          | Metals  | 6020              | STL-SAC | 7/5/06                  | 1.8   | < 63.4                                    | < 0.63                                       | < 0.63                                     | < 6.3   | 133                                       | 13.6                                    | 13.5   | 6.1                                       | 53.4                                    | No                 | No                           |          |
| METALS-ST1-7/3/06                | G6G060199001 | Southwest Area (sidewalk bridge level)              | 7/3/06                | 1546                            | Metals  | 6020              | STL-SAC | 7/6/06                  | 4.0   | < 77.6                                    | < 0.78                                       | < 0.78                                     | < 7.8   | 139                                       | 18.6                                    | 19.8   | 8.4                                       | 71.1                                    | No                 | No                           |          |
| METALS-ST2-7/3/06                | G6G060199002 | Southeast Area (sidewalk bridge level)              | 7/3/06                | 1708.4                          | Metals  | 6020              | STL-SAC | 7/6/06                  | 3.9   | < 70.2                                    | < 0.70                                       | < 0.70                                     | < 7.0   | 101                                       | 21.8                                    | 9.8  | 85.3                                      | No                                      | No                 |                              |          |
| METALS-ST4-7/3/06                | G6G060199003 | Northwest Area (street-level)                       | 7/3/06                | 1696.4                          | Metals  | 6020              | STL-SAC | 7/6/06                  | 3.7   | < 70.7                                    | < 0.71                                       | < 0.71                                     | < 7.1   | 120                                       | 36.8                                    | 19.0   | 8.7                                       | 79.5                                    | No                 | No                           |          |
| METALS-ST5-7/3/06                | G6G060199004 | Firehouse #10 (roof level)                          | 7/3/06                | 1754.3                          | Metals  | 6020              | STL-SAC | 7/6/06                  | 3.6   | < 68.4                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 110                                       | 19.8                                    | 29.7   | 11.0                                      | 78.2                                    | No                 | No                           |          |
| METALS-ST11-7/3/06               | G6G060199005 | 90 Trinity Place (roof level)                       | 7/3/06                | 1810.1                          | Metals  | 6020              | STL-SAC | 7/6/06                  | 3.0   | < 66.3                                    | < 0.66                                       | < 0.66                                     | < 6.6   | 62.6                                      | 18.8                                    | 17.4   | 8.7                                       | 70.6                                    | No                 | No                           |          |
| METALS-ST12-7/3/06               | G6G060199006 | 110 Greenwich Street (roof level)                   | 7/3/06                | 1675.2                          | Metals  | 6020              | STL-SAC | 7/6/06                  | 3.1   | < 67.2                                    | < 0.72                                       | < 0.72                                     | < 7.2   | 75.1                                      | 17.9                                    | 17.4   | 8.4                                       | 66.3                                    | No                 | No                           |          |
| METALS-ST13-7/3/06               | G6G060199007 | Marriott Hotel, 38th Floor (roof level)             | 7/3/06                | 1687.9                          | Metals  | 6020              | STL-SAC | 7/6/06                  | 2.7   | < 71.1                                    | < 0.71                                       | < 0.71                                     | < 7.1   | 33.4                                      | 17.0                                    | 15.2   | 8.7                                       | 63.0                                    | No                 | No                           |          |
| METALS-ST14-7/3/06               | G6G060199008 | West Face - South end at corner (scalloiding level) | 7/3/06                | 1680.8                          | Metals  | 6020              | STL-SAC | 7/6/06                  | 2.5   | < 71.4                                    | < 0.71                                       | < 0.71                                     | < 7.1   | 33.2                                      | 12.8                                    | 13.0   | 8.1                                       | 45.7                                    | No                 | No                           |          |
| METALS-ST15-7/3/06               | G6G060199009 | South Face - East end at corner (scalloiding level) | 7/3/06                | 1730.1                          | Metals  | 6020              | STL-SAC | 7/6/06                  | 2.4   | < 69.4                                    | < 0.69                                       | < 0.69                                     | < 6.9   | 75.2                                      | 11.8                                    | 11.7   | 7.7                                       | 40.6                                    | No                 | No                           |          |
| METALS-ST16-7/3/06               | G6G060199010 | East Face - North end at corner (scalloiding level) | 7/3/06                | 1686                            | Metals  | 6020              | STL-SAC | 7/6/06                  | 3.0   | < 71.2                                    | < 0.71                                       | < 0.71                                     | < 7.1   | 229                                       | 14.2                                    | 17.5   | 8.5                                       | 50.1                                    | No                 | No                           |          |
| METALS-ST17-7/3/06               | G6G060199011 | North Face - West end at corner (scalloiding level) | 7/3/06                | 1709.9                          | Metals  | 6020              | STL-SAC | 7/6/06                  | 2.8   | < 70.2                                    | < 0.70                                       | < 0.70                                     | < 7.0   | 143                                       | 13.5                                    | 17.5   | 8.6                                       | 45.2                                    | No                 | No                           |          |
| METALS-ST1-7/4/06                | G6G060191001 | Southwest Area (sidewalk bridge level)              | 7/4/06                | 1819.3                          | Metals  | 6020              | STL-SAC | 7/6/06                  | 6.5   | < 66.6                                    | < 0.66                                       | < 0.66                                     | < 6.6   | 167                                       | 19.8                                    | 14.2   | 7.7                                       | 68.3                                    | No                 | No                           |          |
| METALS-ST2-7/4/06                | G6G060191002 | Southeast Area (sidewalk bridge level)              | 7/4/06                | 1816.8                          | Metals  | 6020              | STL-SAC | 7/6/06                  | 6.0   | < 66.6                                    | < 0.66                                       | < 0.66                                     | < 6.6   | 216                                       | 16.3                                    | 12.6   | 7.4                                       | 46.1                                    | No                 | No                           |          |
| METALS-ST4-7/4/06                | G6G060191003 | Northwest Area (street-level)                       | 7/4/06                | 1755.6                          | Metals  | 6020              | STL-SAC | 7/6/06                  | 6.1   | < 68.6                                    |  |  |   |   |   |  |   |   |                    |                              |          |