

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels							150			
EPA Site Specific Trigger Levels							150			
PM10-ST1-3/18/2009	Southwest Area (sidewalk bridge level)	3/18/09	1440	Particulate	Direct Read	Met One E-BAM	21	No	No	
PM10-ST2-3/18/2009	Southeast Area (sidewalk bridge level)	3/18/09	1440	Particulate	Direct Read	Met One E-BAM	25	No	No	
PM10-ST4-3/18/2009	Northwest Area (street-level)	3/18/09	1440	Particulate	Direct Read	Met One E-BAM	25	No	No	
PM10-ST5-3/18/2009	Firehouse #10 (roof level)	3/18/09	1440	Particulate	Direct Read	Met One E-BAM	18	No	No	
PM10-ST10-3/18/2009	North Side Sidewalk Bridge	3/18/09	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST100-3/18/2009	Station 10 Field Duplicate	3/18/09	1440	Particulate	Direct Read	Met One E-BAM	26	No	No	
PM10-ST11-3/18/2009	90 Trinity Place (roof level)	3/18/09	1440	Particulate	Direct Read	Met One E-BAM	16	No	No	
PM10-ST12-3/18/2009	110 Greenwich Street (roof level)	3/18/09	1440	Particulate	Direct Read	Met One E-BAM	16	No	No	
PM10-ST13-3/18/2009	Marriott Hotel, 38th Floor (roof level)	3/18/09	1440	Particulate	Direct Read	Met One E-BAM	16	No	No	
PM10-ST14-3/18/2009	West Face - South end at corner (scaffolding level)	3/18/09	1440	Particulate	Direct Read	Met One E-BAM	16	No	No	
PM10-ST15-3/18/2009	South Face - East end at corner (scaffolding level)	3/18/09	1440	Particulate	Direct Read	Met One E-BAM	18	No	No	
PM10-ST16-3/18/2009	East Face - North end at corner (scaffolding level)	3/18/09	1440	Particulate	Direct Read	Met One E-BAM	16	No	No	
PM10-ST17-3/18/2009	North Face - West end at corner (scaffolding level)	3/18/09	1440	Particulate	Direct Read	Met One E-BAM	16	No	No	
PM10-ST1-3/19/2009	Southwest Area (sidewalk bridge level)	3/19/09	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST2-3/19/2009	Southeast Area (sidewalk bridge level)	3/19/09	1440	Particulate	Direct Read	Met One E-BAM	27	No	No	
PM10-ST4-3/19/2009	Northwest Area (street-level)	3/19/09	1440	Particulate	Direct Read	Met One E-BAM	32	No	No	
PM10-ST5-3/19/2009	Firehouse #10 (roof level)	3/19/09	1440	Particulate	Direct Read	Met One E-BAM	68	No	No	
PM10-ST10-3/19/2009	North Side Sidewalk Bridge	3/19/09	1440	Particulate	Direct Read	Met One E-BAM	28	No	No	
PM10-ST100-3/19/2009	Station 10 Field Duplicate	3/19/09	1440	Particulate	Direct Read	Met One E-BAM	34	No	No	
PM10-ST11-3/19/2009	90 Trinity Place (roof level)	3/19/09	1440	Particulate	Direct Read	Met One E-BAM	23	No	No	
PM10-ST12-3/19/2009	110 Greenwich Street (roof level)	3/19/09	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST13-3/19/2009	Marriott Hotel, 38th Floor (roof level)	3/19/09	1440	Particulate	Direct Read	Met One E-BAM	32	No	No	
PM10-ST15-3/19/2009	South Face - East end at corner (scaffolding level)	3/19/09	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM10-ST16-3/19/2009	East Face - North end at corner (scaffolding level)	3/19/09	1440	Particulate	Direct Read	Met One E-BAM	18	No	No	
PM10-ST17-3/19/2009	North Face - West end at corner (scaffolding level)	3/19/09	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	

Note:

1. The PM10 reading from Station 14 (West Face - South end at corner [scaffolding level]) on March 19, 2009 was not available on account of power failure.