

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
							150			
							150			
PM10-ST1-3/26/2007	Southwest Area (sidewalk bridge level)	3/26/07	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST2-3/26/2007	Southeast Area (sidewalk bridge level)	3/26/07	1440	Particulate	Direct Read	Met One E-BAM	25	No	No	
PM10-ST4-3/26/2007	Northwest Area (street-level)	3/26/07	1440	Particulate	Direct Read	Met One E-BAM	29	No	No	
PM10-ST5-3/26/2007	Firehouse #10 (roof level)	3/26/07	1440	Particulate	Direct Read	Met One E-BAM	25	No	No	
PM10-ST10-3/26/2007	North Side Sidewalk Bridge	3/26/07	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	
PM10-ST100-3/26/2007	Station 10 Field Duplicate	3/26/07	1440	Particulate	Direct Read	Met One E-BAM	27	No	No	
PM10-ST12-3/26/2007	110 Greenwich Street (roof level)	3/26/07	1440	Particulate	Direct Read	Met One E-BAM	22	No	No	
PM10-ST13-3/26/2007	Marriott Hotel, 38th Floor (roof level)	3/26/07	1440	Particulate	Direct Read	Met One E-BAM	10	No	No	
PM10-ST14-3/26/2007	West Face - South end at corner (scaffolding level)	3/26/07	1440	Particulate	Direct Read	Met One E-BAM	21	No	No	
PM10-ST15-3/26/2007	South Face - East end at corner (scaffolding level)	3/26/07	1440	Particulate	Direct Read	Met One E-BAM	10	No	No	
PM10-ST16-3/26/2007	East Face - North end at corner (scaffolding level)	3/26/07	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	
PM10-ST1-3/27/2007	Southwest Area (sidewalk bridge level)	3/27/07	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST2-3/27/2007	Southeast Area (sidewalk bridge level)	3/27/07	1440	Particulate	Direct Read	Met One E-BAM	39	No	No	
PM10-ST4-3/27/2007	Northwest Area (street-level)	3/27/07	1440	Particulate	Direct Read	Met One E-BAM	30	No	No	
PM10-ST5-3/27/2007	Firehouse #10 (roof level)	3/27/07	1440	Particulate	Direct Read	Met One E-BAM	26	No	No	
PM10-ST10-3/27/2007	North Side Sidewalk Bridge	3/27/07	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST100-3/27/2007	Station 10 Field Duplicate	3/27/07	1440	Particulate	Direct Read	Met One E-BAM	25	No	No	
PM10-ST11-3/27/2007	90 Trinity Place (roof level)	3/27/07	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	
PM10-ST12-3/27/2007	110 Greenwich Street (roof level)	3/27/07	1440	Particulate	Direct Read	Met One E-BAM	25	No	No	
PM10-ST13-3/27/2007	Marriott Hotel, 38th Floor (roof level)	3/27/07	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM10-ST14-3/27/2007	West Face - South end at corner (scaffolding level)	3/27/07	1440	Particulate	Direct Read	Met One E-BAM	16	No	No	
PM10-ST15-3/27/2007	South Face - East end at corner (scaffolding level)	3/27/07	1440	Particulate	Direct Read	Met One E-BAM	22	No	No	
PM10-ST16-3/27/2007	East Face - North end at corner (scaffolding level)	3/27/07	1440	Particulate	Direct Read	Met One E-BAM	18	No	No	

Note:

1. The PM 10 reading at Station 11 (90 Trinity Place [roof level]) on March 26, 2007 was not available on account of instrument malfunction.
2. The PM 10 readings at Station 17 (North Face - West end at corner [scaffolding level]) on March 26 and 27, 2007 were not available on account of instrument malfunction.