

| TRC Field Sample No.                    | Station Location                                    | Collection Start Date | Collection Time (minutes) | Analyte     | Analytical Method | Instrument    | Particulate PM10 (ug/m3) | Exceeds Target Air Quality Levels | Exceeds EPA Site Specific Trigger Levels | Comments |
|-----------------------------------------|-----------------------------------------------------|-----------------------|---------------------------|-------------|-------------------|---------------|--------------------------|-----------------------------------|------------------------------------------|----------|
| <b>Target Air Quality Levels</b>        |                                                     |                       |                           |             |                   |               | <b>150</b>               |                                   |                                          |          |
| <b>EPA Site Specific Trigger Levels</b> |                                                     |                       |                           |             |                   |               | <b>150</b>               |                                   |                                          |          |
| PM10-ST1-3/26/2008                      | Southwest Area (sidewalk bridge level)              | 3/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 20                       | No                                | No                                       |          |
| PM10-ST2-3/26/2008                      | Southeast Area (sidewalk bridge level)              | 3/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 27                       | No                                | No                                       |          |
| PM10-ST4-3/26/2008                      | Northwest Area (street-level)                       | 3/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 23                       | No                                | No                                       |          |
| PM10-ST5-3/26/2008                      | Firehouse #10 (roof level)                          | 3/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 24                       | No                                | No                                       |          |
| PM10-ST10-3/26/2008                     | North Side Sidewalk Bridge                          | 3/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 26                       | No                                | No                                       |          |
| PM10-ST100-3/26/2008                    | Station 10 Field Duplicate                          | 3/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 31                       | No                                | No                                       |          |
| PM10-ST11-3/26/2008                     | 90 Trinity Place (roof level)                       | 3/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 21                       | No                                | No                                       |          |
| PM10-ST12-3/26/2008                     | 110 Greenwich Street (roof level)                   | 3/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 15                       | No                                | No                                       |          |
| PM10-ST13-3/26/2008                     | Marriott Hotel, 38th Floor (roof level)             | 3/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 17                       | No                                | No                                       |          |
| PM10-ST14-3/26/2008                     | West Face - South end at corner (scaffolding level) | 3/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 18                       | No                                | No                                       |          |
| PM10-ST15-3/26/2008                     | South Face - East end at corner (scaffolding level) | 3/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 19                       | No                                | No                                       |          |
| PM10-ST16-3/26/2008                     | East Face - North end at corner (scaffolding level) | 3/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 17                       | No                                | No                                       |          |
| PM10-ST17-3/26/2008                     | North Face - West end at corner (scaffolding level) | 3/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 22                       | No                                | No                                       |          |
| PM10-ST1-3/27/2008                      | Southwest Area (sidewalk bridge level)              | 3/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 26                       | No                                | No                                       |          |
| PM10-ST2-3/27/2008                      | Southeast Area (sidewalk bridge level)              | 3/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 28                       | No                                | No                                       |          |
| PM10-ST4-3/27/2008                      | Northwest Area (street-level)                       | 3/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 26                       | No                                | No                                       |          |
| PM10-ST5-3/27/2008                      | Firehouse #10 (roof level)                          | 3/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 23                       | No                                | No                                       |          |
| PM10-ST10-3/27/2008                     | North Side Sidewalk Bridge                          | 3/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 26                       | No                                | No                                       |          |
| PM10-ST100-3/27/2008                    | Station 10 Field Duplicate                          | 3/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 25                       | No                                | No                                       |          |
| PM10-ST11-3/27/2008                     | 90 Trinity Place (roof level)                       | 3/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 25                       | No                                | No                                       |          |
| PM10-ST12-3/27/2008                     | 110 Greenwich Street (roof level)                   | 3/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 26                       | No                                | No                                       |          |
| PM10-ST13-3/27/2008                     | Marriott Hotel, 38th Floor (roof level)             | 3/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 22                       | No                                | No                                       |          |
| PM10-ST14-3/27/2008                     | West Face - South end at corner (scaffolding level) | 3/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 21                       | No                                | No                                       |          |
| PM10-ST15-3/27/2008                     | South Face - East end at corner (scaffolding level) | 3/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 21                       | No                                | No                                       |          |
| PM10-ST16-3/27/2008                     | East Face - North end at corner (scaffolding level) | 3/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 19                       | No                                | No                                       |          |
| PM10-ST17-3/27/2008                     | North Face - West end at corner (scaffolding level) | 3/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 21                       | No                                | No                                       |          |