

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
<b>Target Air Quality Levels</b>							<b>150</b>			
<b>EPA Site Specific Trigger Levels</b>							<b>150</b>			
PM10-ST1-4/26/2010	Southwest Area (sidewalk bridge level)	4/26/10	1440	Particulate	Direct Read	Met One E-BAM	30	No	No	
PM10-ST2-4/26/2010	Southeast Area (sidewalk bridge level)	4/26/10	1440	Particulate	Direct Read	Met One E-BAM	38	No	No	
PM10-ST4-4/26/2010	Northwest Area (street-level)	4/26/10	1440	Particulate	Direct Read	Met One E-BAM	40	No	No	
PM10-ST5-4/26/2010	Firehouse #10 (roof level)	4/26/10	1440	Particulate	Direct Read	Met One E-BAM	27	No	No	
PM10-ST11-4/26/2010	90 Trinity Place (roof level)	4/26/10	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM10-ST12-4/26/2010	110 Greenwich Street (roof level)	4/26/10	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM10-ST20-4/26/2010	Northeast Area, Sidewalk Bridge	4/26/10	1440	Particulate	Direct Read	Met One E-BAM	33	No	No	
PM10-ST200-4/26/2010	Station 20 Field Duplicate	4/26/10	1440	Particulate	Direct Read	Met One E-BAM	29	No	No	
PM10-ST21-4/26/2010	Marriott Hotel, 4th Floor	4/26/10	1440	Particulate	Direct Read	Met One E-BAM	27	No	No	Note 1
PM10-ST1-4/27/2010	Southwest Area (sidewalk bridge level)	4/27/10	1440	Particulate	Direct Read	Met One E-BAM	26	No	No	
PM10-ST2-4/27/2010	Southeast Area (sidewalk bridge level)	4/27/10	1440	Particulate	Direct Read	Met One E-BAM	18	No	No	
PM10-ST4-4/27/2010	Northwest Area (street-level)	4/27/10	1440	Particulate	Direct Read	Met One E-BAM	36	No	No	
PM10-ST5-4/27/2010	Firehouse #10 (roof level)	4/27/10	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	
PM10-ST11-4/27/2010	90 Trinity Place (roof level)	4/27/10	1440	Particulate	Direct Read	Met One E-BAM	17	No	No	
PM10-ST12-4/27/2010	110 Greenwich Street (roof level)	4/27/10	1440	Particulate	Direct Read	Met One E-BAM	7	No	No	
PM10-ST20-4/27/2010	Northeast Area, Sidewalk Bridge	4/27/10	1440	Particulate	Direct Read	Met One E-BAM	29	No	No	
PM10-ST200-4/27/2010	Station 20 Field Duplicate	4/27/10	1440	Particulate	Direct Read	Met One E-BAM	25	No	No	
PM10-ST21-4/27/2010	Marriott Hotel, 4th Floor	4/27/10	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	

Note:

1. Station 13 (Marriott Hotel, 38th Floor [roof level]) was taken out of service on April 25, 2010. Station 21 (Marriott Hotel, 4th Floor) began operation on April 26, 2010 and has taken the place of Station 13 as one of the off site (community) air monitoring stations.