

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels							150			
EPA Site Specific Trigger Levels							150			
PM10-ST1-5/3/2010	Southwest Area (sidewalk bridge level)	5/3/10	1440	Particulate	Direct Read	Met One E-BAM	36	No	No	
PM10-ST2-5/3/2010	Southeast Area (sidewalk bridge level)	5/3/10	1440	Particulate	Direct Read	Met One E-BAM	34	No	No	
PM10-ST4-5/3/2010	Northwest Area (street-level)	5/3/10	1440	Particulate	Direct Read	Met One E-BAM	47	No	No	
PM10-ST5-5/3/2010	Firehouse #10 (roof level)	5/3/10	1440	Particulate	Direct Read	Met One E-BAM	41	No	No	
PM10-ST11-5/3/2010	90 Trinity Place (roof level)	5/3/10	1440	Particulate	Direct Read	Met One E-BAM	23	No	No	
PM10-ST12-5/3/2010	110 Greenwich Street (roof level)	5/3/10	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	
PM10-ST20-5/3/2010	Northeast Area, Sidewalk Bridge	5/3/10	1440	Particulate	Direct Read	Met One E-BAM	44	No	No	
PM10-ST200-5/3/2010	Station 20 Field Duplicate	5/3/10	1440	Particulate	Direct Read	Met One E-BAM	34	No	No	
PM10-ST21-5/3/2010	Marriott Hotel, 4th Floor	5/3/10	1440	Particulate	Direct Read	Met One E-BAM	29	No	No	
PM10-ST1-5/4/2010	Southwest Area (sidewalk bridge level)	5/4/10	1440	Particulate	Direct Read	Met One E-BAM	29	No	No	
PM10-ST2-5/4/2010	Southeast Area (sidewalk bridge level)	5/4/10	1440	Particulate	Direct Read	Met One E-BAM	21	No	No	
PM10-ST4-5/4/2010	Northwest Area (street-level)	5/4/10	1440	Particulate	Direct Read	Met One E-BAM	33	No	No	
PM10-ST5-5/4/2010	Firehouse #10 (roof level)	5/4/10	1440	Particulate	Direct Read	Met One E-BAM	30	No	No	
PM10-ST11-5/4/2010	90 Trinity Place (roof level)	5/4/10	1440	Particulate	Direct Read	Met One E-BAM	12	No	No	
PM10-ST12-5/4/2010	110 Greenwich Street (roof level)	5/4/10	1440	Particulate	Direct Read	Met One E-BAM	13	No	No	
PM10-ST20-5/4/2010	Northeast Area, Sidewalk Bridge	5/4/10	1440	Particulate	Direct Read	Met One E-BAM	48	No	No	
PM10-ST200-5/4/2010	Station 20 Field Duplicate	5/4/10	1440	Particulate	Direct Read	Met One E-BAM	40	No	No	
PM10-ST21-5/4/2010	Marriott Hotel, 4th Floor	5/4/10	1440	Particulate	Direct Read	Met One E-BAM	21	No	No	