

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels							150			
EPA Site Specific Trigger Levels							150			
PM10-ST1-5/24/2010	Southwest Area (sidewalk bridge level)	5/24/10	1440	Particulate	Direct Read	Met One E-BAM	32	No	No	
PM10-ST2-5/24/2010	Southeast Area (sidewalk bridge level)	5/24/10	1440	Particulate	Direct Read	Met One E-BAM	28	No	No	
PM10-ST4-5/24/2010	Northwest Area (street-level)	5/24/10	1440	Particulate	Direct Read	Met One E-BAM	41	No	No	
PM10-ST5-5/24/2010	Firehouse #10 (roof level)	5/24/10	1440	Particulate	Direct Read	Met One E-BAM	37	No	No	
PM10-ST11-5/24/2010	90 Trinity Place (roof level)	5/24/10	1440	Particulate	Direct Read	Met One E-BAM	21	No	No	
PM10-ST12-5/24/2010	110 Greenwich Street (roof level)	5/24/10	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	
PM10-ST20-5/24/2010	Northeast Area, Sidewalk Bridge	5/24/10	1120	Particulate	Direct Read	Met One E-BAM	45	No	No	Note 1
PM10-ST200-5/24/2010	Station 20 Field Duplicate	5/24/10	1440	Particulate	Direct Read	Met One E-BAM	42	No	No	
PM10-ST21-5/24/2010	Marriott Hotel, 4th Floor	5/24/10	1440	Particulate	Direct Read	Met One E-BAM	39	No	No	
PM10-ST1-5/25/2010	Southwest Area (sidewalk bridge level)	5/25/10	1440	Particulate	Direct Read	Met One E-BAM	32	No	No	
PM10-ST2-5/25/2010	Southeast Area (sidewalk bridge level)	5/25/10	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST4-5/25/2010	Northwest Area (street-level)	5/25/10	1440	Particulate	Direct Read	Met One E-BAM	32	No	No	
PM10-ST5-5/25/2010	Firehouse #10 (roof level)	5/25/10	1440	Particulate	Direct Read	Met One E-BAM	25	No	No	
PM10-ST11-5/25/2010	90 Trinity Place (roof level)	5/25/10	1440	Particulate	Direct Read	Met One E-BAM	18	No	No	
PM10-ST12-5/25/2010	110 Greenwich Street (roof level)	5/25/10	1440	Particulate	Direct Read	Met One E-BAM	16	No	No	
PM10-ST20-5/25/2010	Northeast Area, Sidewalk Bridge	5/25/10	1440	Particulate	Direct Read	Met One E-BAM	32	No	No	
PM10-ST200-5/25/2010	Station 20 Field Duplicate	5/25/10	1440	Particulate	Direct Read	Met One E-BAM	36	No	No	
PM10-ST21-5/25/2010	Marriott Hotel, 4th Floor	5/25/10	1440	Particulate	Direct Read	Met One E-BAM	26	No	No	

Note:

1. The PM10 reading from Station 20 (Northeast Area, sidewalk bridge level) on May 24, 2010 is partial average from 0000 to 0700; 1220 to 2400 due to instrument failure; the daily average represents 77% of the 24 hour data set.