

| TRC Field Sample No.             | Station Location                        | Collection Start Date | Collection Time (minutes) | Analyte     | Analytical Method | Instrument    | Particulate PM10 (ug/m3) | Exceeds Target Air Quality Levels | Exceeds EPA Site Specific Trigger Levels | Comments |
|----------------------------------|---|-----------------------|---------------------------|-------------|-------------------|---------------|--------------------------|-----------------------------------|--|----------|
| Target Air Quality Levels        |   |                       |                           |             |                   |               | 150                      | No                                | No                                       |          |
| EPA Site Specific Trigger Levels |   |                       |                           |             |                   |               | 150                      |                                   |  |          |
| PM10-ST1-7/1/2009                | Southwest Area (sidewalk bridge level)  | 7/1/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 30                       | No                                | No                                       |          |
| PM10-ST2-7/1/2009                | Southeast Area (sidewalk bridge level)  | 7/1/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 37                       | No                                | No                                       |          |
| PM10-ST4-7/1/2009                | Northwest Area (street-level)           | 7/1/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 46                       | No                                | No                                       |          |
| PM10-ST5-7/1/2009                | Firehouse #10 (roof level)              | 7/1/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 47                       | No                                | No                                       |          |
| PM10-ST10-7/1/2009               | North Side Sidewalk Bridge              | 7/1/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 39                       | No                                | No                                       |          |
| PM10-ST100-7/1/2009              | Station 10 Field Duplicate              | 7/1/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 45                       | No                                | No                                       |          |
| PM10-ST11-7/1/2009               | 90 Trinity Place (roof level)           | 7/1/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 30                       | No                                | No                                       |          |
| PM10-ST12-7/1/2009               | 110 Greenwich Street (roof level)       | 7/1/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 28                       | No                                | No                                       |          |
| PM10-ST13-7/1/2009               | Marriott Hotel, 38th Floor (roof level) | 7/1/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 32                       | No                                | No                                       |          |
| PM10-ST1-7/2/2009                | Southwest Area (sidewalk bridge level)  | 7/2/09                | 1060                      | Particulate | Direct Read       | Met One E-BAM | 37                       | No                                | No                                       | Note 1   |
| PM10-ST2-7/2/2009                | Southeast Area (sidewalk bridge level)  | 7/2/09                | 1080                      | Particulate | Direct Read       | Met One E-BAM | 37                       | No                                | No                                       | Note 2   |
| PM10-ST4-7/2/2009                | Northwest Area (street-level)           | 7/2/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 46                       | No                                | No                                       |          |
| PM10-ST5-7/2/2009                | Firehouse #10 (roof level)              | 7/2/09                | 1080                      | Particulate | Direct Read       | Met One E-BAM | 43                       | No                                | No                                       | Note 2   |
| PM10-ST10-7/2/2009               | North Side Sidewalk Bridge              | 7/2/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 42                       | No                                | No                                       |          |
| PM10-ST100-7/2/2009              | Station 10 Field Duplicate              | 7/2/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 48                       | No                                | No                                       |          |
| PM10-ST11-7/2/2009               | 90 Trinity Place (roof level)           | 7/2/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 37                       | No                                | No                                       |          |
| PM10-ST12-7/2/2009               | 110 Greenwich Street (roof level)       | 7/2/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 55                       | No                                | No                                       |          |
| PM10-ST1-7/3/2009                | Southwest Area (sidewalk bridge level)  | 7/3/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 16                       | No                                | No                                       |          |
| PM10-ST2-7/3/2009                | Southeast Area (sidewalk bridge level)  | 7/3/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 18                       | No                                | No                                       |          |
| PM10-ST4-7/3/2009                | Northwest Area (street-level)           | 7/3/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 22                       | No                                | No                                       |          |
| PM10-ST5-7/3/2009                | Firehouse #10 (roof level)              | 7/3/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 20                       | No                                | No                                       |          |
| PM10-ST10-7/3/2009               | North Side Sidewalk Bridge              | 7/3/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 23                       | No                                | No                                       |          |
| PM10-ST100-7/3/2009              | Station 10 Field Duplicate              | 7/3/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 25                       | No                                | No                                       |          |
| PM10-ST11-7/3/2009               | 90 Trinity Place (roof level)           | 7/3/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 18                       | No                                | No                                       |          |
| PM10-ST12-7/3/2009               | 110 Greenwich Street (roof level)       | 7/3/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 14                       | No                                | No                                       |          |
| PM10-ST1-7/4/2009                | Southwest Area (sidewalk bridge level)  | 7/4/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 12                       | No                                | No                                       |          |
| PM10-ST2-7/4/2009                | Southeast Area (sidewalk bridge level)  | 7/4/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 15                       | No                                | No                                       |          |
| PM10-ST4-7/4/2009                | Northwest Area (street-level)           | 7/4/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 16                       | No                                | No                                       |          |
| PM10-ST5-7/4/2009                | Firehouse #10 (roof level)              | 7/4/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                       | No                                | No                                       |          |
| PM10-ST10-7/4/2009               | North Side Sidewalk Bridge              | 7/4/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                       | No                                | No                                       |          |
| PM10-ST100-7/4/2009              | Station 10 Field Duplicate              | 7/4/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 15                       | No                                | No                                       |          |
| PM10-ST11-7/4/2009               | 90 Trinity Place (roof level)           | 7/4/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 10                       | No                                | No                                       |          |
| PM10-ST12-7/4/2009               | 110 Greenwich Street (roof level)       | 7/4/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 10                       | No                                | No                                       |          |
| PM10-ST1-7/5/2009                | Southwest Area (sidewalk bridge level)  | 7/5/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                       | No                                | No                                       |          |
| PM10-ST2-7/5/2009                | Southeast Area (sidewalk bridge level)  | 7/5/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                       | No                                | No                                       |          |
| PM10-ST4-7/5/2009                | Northwest Area (street-level)           | 7/5/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                       | No                                | No                                       |          |
| PM10-ST5-7/5/2009                | Firehouse #10 (roof level)              | 7/5/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 16                       | No                                | No                                       |          |
| PM10-ST10-7/5/2009               | North Side Sidewalk Bridge              | 7/5/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 9                        | No                                | No                                       |          |
| PM10-ST100-7/5/2009              | Station 10 Field Duplicate              | 7/5/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 15                       | No                                | No                                       |          |
| PM10-ST11-7/5/2009               | 90 Trinity Place (roof level)           | 7/5/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 9                        | No                                | No                                       |          |
| PM10-ST12-7/5/2009               | 110 Greenwich Street (roof level)       | 7/5/09                | 1440                      | Particulate | Direct Read       | Met One E-BAM | 9                        | No                                | No                                       |          |

Note:

1. The PM10 reading from Station 1 (Southwest Area [sidewalk bridge level]) on July 2, 2009 represents a 1060 minute sampling time on account of a planned power outage.
2. The PM10 readings from Station 2 (Southeast Area [sidewalk bridge level]) and Station 5 (Firehouse #10 [roof level]) on July 2, 2009 represent a 1080 minute sampling time on account of a planned power outage.
3. The PM10 readings from Station 13 (Marriott Hotel, 38th Floor [roof level]) on July 2, 3, 4, 5, 2009 were not available on account of instrument malfunction.