

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels							150			
EPA Site Specific Trigger Levels							150			
PM10-ST1-8/6/2007	Southwest Area (sidewalk bridge level)	8/6/07	1440	Particulate	Direct Read	Met One E-BAM	40	No	No	
PM10-ST2-8/6/2007	Southeast Area (sidewalk bridge level)	8/6/07	1440	Particulate	Direct Read	Met One E-BAM	46	No	No	
PM10-ST4-8/6/2007	Northwest Area (street-level)	8/6/07	1440	Particulate	Direct Read	Met One E-BAM	43	No	No	
PM10-ST5-8/6/2007	Firehouse #10 (roof level)	8/6/07	1440	Particulate	Direct Read	Met One E-BAM	43	No	No	
PM10-ST10-8/6/2007	North Side Sidewalk Bridge	8/6/07	1440	Particulate	Direct Read	Met One E-BAM	53	No	No	
PM10-ST100-8/6/2007	Station 10 Field Duplicate	8/6/07	1440	Particulate	Direct Read	Met One E-BAM	46	No	No	
PM10-ST11-8/6/2007	90 Trinity Place (roof level)	8/6/07	1440	Particulate	Direct Read	Met One E-BAM	45	No	No	
PM10-ST12-8/6/2007	110 Greenwich Street (roof level)	8/6/07	1440	Particulate	Direct Read	Met One E-BAM	33	No	No	
PM10-ST13-8/6/2007	Marriott Hotel, 38th Floor (roof level)	8/6/07	1440	Particulate	Direct Read	Met One E-BAM	26	No	No	
PM10-ST14-8/6/2007	West Face - South end at corner (scaffolding level)	8/6/07	1440	Particulate	Direct Read	Met One E-BAM	42	No	No	
PM10-ST15-8/6/2007	South Face - East end at corner (scaffolding level)	8/6/07	1440	Particulate	Direct Read	Met One E-BAM	38	No	No	
PM10-ST16-8/6/2007	East Face - North end at corner (scaffolding level)	8/6/07	1440	Particulate	Direct Read	Met One E-BAM	55	No	No	
PM10-ST17-8/6/2007	North Face - West end at corner (scaffolding level)	8/6/07	1440	Particulate	Direct Read	Met One E-BAM	37	No	No	
PM10-ST1-8/7/2007	Southwest Area (sidewalk bridge level)	8/7/07	1440	Particulate	Direct Read	Met One E-BAM	76	No	No	
PM10-ST2-8/7/2007	Southeast Area (sidewalk bridge level)	8/7/07	1440	Particulate	Direct Read	Met One E-BAM	61	No	No	
PM10-ST4-8/7/2007	Northwest Area (street-level)	8/7/07	1440	Particulate	Direct Read	Met One E-BAM	59	No	No	
PM10-ST5-8/7/2007	Firehouse #10 (roof level)	8/7/07	1440	Particulate	Direct Read	Met One E-BAM	55	No	No	
PM10-ST10-8/7/2007	North Side Sidewalk Bridge	8/7/07	1440	Particulate	Direct Read	Met One E-BAM	62	No	No	
PM10-ST100-8/7/2007	Station 10 Field Duplicate	8/7/07	1440	Particulate	Direct Read	Met One E-BAM	56	No	No	
PM10-ST11-8/7/2007	90 Trinity Place (roof level)	8/7/07	1440	Particulate	Direct Read	Met One E-BAM	51	No	No	
PM10-ST12-8/7/2007	110 Greenwich Street (roof level)	8/7/07	1440	Particulate	Direct Read	Met One E-BAM	47	No	No	
PM10-ST13-8/7/2007	Marriott Hotel, 38th Floor (roof level)	8/7/07	1440	Particulate	Direct Read	Met One E-BAM	43	No	No	
PM10-ST14-8/7/2007	West Face - South end at corner (scaffolding level)	8/7/07	1440	Particulate	Direct Read	Met One E-BAM	63	No	No	
PM10-ST15-8/7/2007	South Face - East end at corner (scaffolding level)	8/7/07	1440	Particulate	Direct Read	Met One E-BAM	56	No	No	
PM10-ST16-8/7/2007	East Face - North end at corner (scaffolding level)	8/7/07	1440	Particulate	Direct Read	Met One E-BAM	57	No	No	
PM10-ST17-8/7/2007	North Face - West end at corner (scaffolding level)	8/7/07	1440	Particulate	Direct Read	Met One E-BAM	51	No	No	