

| TRC Field Sample No.             | Station Location                                    | Collection Start Date | Collection Time (minutes) | Analyte     | Analytical Method | Instrument    | Particulate PM10 (ug/m3) | Exceeds Target Air Quality Levels | Exceeds EPA Site Specific Trigger Levels | Comments |
|----------------------------------|-----------------------------------------------------|-----------------------|---------------------------|-------------|-------------------|---------------|--------------------------|-----------------------------------|------------------------------------------|----------|
|                                  |                                                     |                       |                           |             |                   |               | 150                      |                                   |                                          |          |
|                                  |                                                     |                       |                           |             |                   |               | 150                      |                                   |                                          |          |
| Target Air Quality Levels        |                                                     |                       |                           |             |                   |               |                          |                                   |                                          |          |
| EPA Site Specific Trigger Levels |                                                     |                       |                           |             |                   |               |                          |                                   |                                          |          |
| PM10-ST1-8/13/2008               | Southwest Area (sidewalk bridge level)              | 8/13/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 22                       | No                                | No                                       |          |
| PM10-ST2-8/13/2008               | Southeast Area (sidewalk bridge level)              | 8/13/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 25                       | No                                | No                                       |          |
| PM10-ST4-8/13/2008               | Northwest Area (street-level)                       | 8/13/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 28                       | No                                | No                                       |          |
| PM10-ST5-8/13/2008               | Firehouse #10 (roof level)                          | 8/13/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 31                       | No                                | No                                       |          |
| PM10-ST10-8/13/2008              | North Side Sidewalk Bridge                          | 8/13/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 27                       | No                                | No                                       |          |
| PM10-ST100-8/13/2008             | Station 10 Field Duplicate                          | 8/13/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 29                       | No                                | No                                       |          |
| PM10-ST11-8/13/2008              | 90 Trinity Place (roof level)                       | 8/13/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 18                       | No                                | No                                       |          |
| PM10-ST12-8/13/2008              | 110 Greenwich Street (roof level)                   | 8/13/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 18                       | No                                | No                                       |          |
| PM10-ST13-8/13/2008              | Marriott Hotel, 38th Floor (roof level)             | 8/13/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 16                       | No                                | No                                       |          |
| PM10-ST14-8/13/2008              | West Face - South end at corner (scaffolding level) | 8/13/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 16                       | No                                | No                                       |          |
| PM10-ST15-8/13/2008              | South Face - East end at corner (scaffolding level) | 8/13/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 17                       | No                                | No                                       |          |
| PM10-ST16-8/13/2008              | East Face - North end at corner (scaffolding level) | 8/13/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 19                       | No                                | No                                       |          |
| PM10-ST17-8/13/2008              | North Face - West end at corner (scaffolding level) | 8/13/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 15                       | No                                | No                                       |          |
| PM10-ST1-8/14/2008               | Southwest Area (sidewalk bridge level)              | 8/14/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 34                       | No                                | No                                       |          |
| PM10-ST2-8/14/2008               | Southeast Area (sidewalk bridge level)              | 8/14/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 36                       | No                                | No                                       |          |
| PM10-ST4-8/14/2008               | Northwest Area (street-level)                       | 8/14/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 44                       | No                                | No                                       |          |
| PM10-ST5-8/14/2008               | Firehouse #10 (roof level)                          | 8/14/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 36                       | No                                | No                                       |          |
| PM10-ST10-8/14/2008              | North Side Sidewalk Bridge                          | 8/14/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 40                       | No                                | No                                       |          |
| PM10-ST100-8/14/2008             | Station 10 Field Duplicate                          | 8/14/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 41                       | No                                | No                                       |          |
| PM10-ST11-8/14/2008              | 90 Trinity Place (roof level)                       | 8/14/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 29                       | No                                | No                                       |          |
| PM10-ST12-8/14/2008              | 110 Greenwich Street (roof level)                   | 8/14/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 34                       | No                                | No                                       |          |
| PM10-ST13-8/14/2008              | Marriott Hotel, 38th Floor (roof level)             | 8/14/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 39                       | No                                | No                                       |          |
| PM10-ST14-8/14/2008              | West Face - South end at corner (scaffolding level) | 8/14/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 31                       | No                                | No                                       |          |
| PM10-ST15-8/14/2008              | South Face - East end at corner (scaffolding level) | 8/14/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 32                       | No                                | No                                       |          |
| PM10-ST16-8/14/2008              | East Face - North end at corner (scaffolding level) | 8/14/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 38                       | No                                | No                                       |          |
| PM10-ST17-8/14/2008              | North Face - West end at corner (scaffolding level) | 8/14/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 27                       | No                                | No                                       |          |