

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
<b>Target Air Quality Levels</b>							<b>150</b>			
<b>EPA Site Specific Trigger Levels</b>							<b>150</b>			
PM10-ST1-11/17/2010	Southwest Area (sidewalk bridge level)	11/17/10	1440	Particulate	Direct Read	Met One E-BAM	17	No	No	
PM10-ST2-11/17/2010	Southeast Area (sidewalk bridge level)	11/17/10	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST4-11/17/2010	Northwest Area (street-level)	11/17/10	1440	Particulate	Direct Read	Met One E-BAM	30	No	No	
PM10-ST20-11/17/2010	Northeast Area, Sidewalk Bridge	11/17/10	1440	Particulate	Direct Read	Met One E-BAM	22	No	No	
PM10-ST200-11/17/2010	Station 20 Field Duplicate	11/17/10	1440	Particulate	Direct Read	Met One E-BAM	40	No	No	
PM10-ST1-11/18/2010	Southwest Area (sidewalk bridge level)	11/18/10	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM10-ST2-11/18/2010	Southeast Area (sidewalk bridge level)	11/18/10	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM10-ST4-11/18/2010	Northwest Area (street-level)	11/18/10	1440	Particulate	Direct Read	Met One E-BAM	40	No	No	
PM10-ST20-11/18/2010	Northeast Area, Sidewalk Bridge	11/18/10	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST200-11/18/2010	Station 20 Field Duplicate	11/18/10	1440	Particulate	Direct Read	Met One E-BAM	30	No	No	

Note:

1. Station 5 (Firehouse #10 [roof level]), Station 21 (Marriott Hotel, 4th Floor), and Station 22 (Roof of 120 Cedar Street) have been removed from service as per Amendment # 15 to the September 2005 Ambient Air Monitoring Plan. These stations remained in service until November 16, 2010.