

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
<b>Target Air Quality Levels</b>							<b>150</b>			
<b>EPA Site Specific Trigger Levels</b>							<b>150</b>			
PM10-ST1-11/20/2009	Southwest Area (sidewalk bridge level)	11/20/09	1440	Particulate	Direct Read	Met One E-BAM	16	No	No	
PM10-ST2-11/20/2009	Southeast Area (sidewalk bridge level)	11/20/09	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM10-ST4-11/20/2009	Northwest Area (street-level)	11/20/09	1440	Particulate	Direct Read	Met One E-BAM	23	No	No	
PM10-ST5-11/20/2009	Firehouse #10 (roof level)	11/20/09	1440	Particulate	Direct Read	Met One E-BAM	22	No	No	
PM10-ST100-11/20/2009	Station 10 Field Duplicate	11/20/09	1440	Particulate	Direct Read	Met One E-BAM	32	No	No	
PM10-ST11-11/20/2009	90 Trinity Place (roof level)	11/20/09	1440	Particulate	Direct Read	Met One E-BAM	13	No	No	
PM10-ST12-11/20/2009	110 Greenwich Street (roof level)	11/20/09	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM10-ST13-11/20/2009	Marriott Hotel, 38th Floor (roof level)	11/20/09	1440	Particulate	Direct Read	Met One E-BAM	9	No	No	
PM10-ST1-11/21/2009	Southwest Area (sidewalk bridge level)	11/21/09	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM10-ST2-11/21/2009	Southeast Area (sidewalk bridge level)	11/21/09	1440	Particulate	Direct Read	Met One E-BAM	12	No	No	
PM10-ST4-11/21/2009	Northwest Area (street-level)	11/21/09	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	
PM10-ST5-11/21/2009	Firehouse #10 (roof level)	11/21/09	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	
PM10-ST100-11/21/2009	Station 10 Field Duplicate	11/21/09	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST11-11/21/2009	90 Trinity Place (roof level)	11/21/09	1440	Particulate	Direct Read	Met One E-BAM	11	No	No	
PM10-ST12-11/21/2009	110 Greenwich Street (roof level)	11/21/09	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM10-ST13-11/21/2009	Marriott Hotel, 38th Floor (roof level)	11/21/09	1440	Particulate	Direct Read	Met One E-BAM	13	No	No	

Note:

1. PM10 readings are not available from Station 10 (North Side Sidewalk Bridge) on November 20 and 21, 2009 on account of instrument malfunction.
2. PM10 readings are not available on November 22, 2009 since no sampling was conducted on this day due to the lack of work activities. This is in accordance with Amendment #9 to the September 2005 Ambient Air Monitoring Program Plan.