

| TRC Field Sample No.                    | Station Location                                    | Collection Start Date | Collection Time (minutes) | Analyte     | Analytical Method | Instrument    | Particulate PM2.5 (ug/m3) | Exceeds Target Air Quality Levels | Exceeds EPA Site Specific Trigger Levels | Comments |
|---|---|-----------------------|---------------------------|-------------|-------------------|---------------|---------------------------|-----------------------------------|--|----------|
| <b>Target Air Quality Levels</b>        |   |                       |                           |             |                   |               | <b>40</b>                 |                                   |  |          |
| <b>EPA Site Specific Trigger Levels</b> |   |                       |                           |             |                   |               | <b>65</b>                 |                                   |  |          |
| PM2.5-ST1-4/25/2008                     | Southwest Area (sidewalk bridge level)              | 4/25/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                        | No                                | No                                       |          |
| PM2.5-ST2-4/25/2008                     | Southeast Area (sidewalk bridge level)              | 4/25/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 15                        | No                                | No                                       |          |
| PM2.5-ST4-4/25/2008                     | Northwest Area (street-level)                       | 4/25/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                        | No                                | No                                       |          |
| PM2.5-ST5-4/25/2008                     | Firehouse #10 (roof level)                          | 4/25/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                        | No                                | No                                       |          |
| PM2.5-ST10-4/25/2008                    | North Side Sidewalk Bridge                          | 4/25/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                        | No                                | No                                       |          |
| PM2.5-ST100-4/25/2008                   | Station 10 Field Duplicate                          | 4/25/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 12                        | No                                | No                                       |          |
| PM2.5-ST11-4/25/2008                    | 90 Trinity Place (roof level)                       | 4/25/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                        | No                                | No                                       |          |
| PM2.5-ST12-4/25/2008                    | 110 Greenwich Street (roof level)                   | 4/25/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 12                        | No                                | No                                       |          |
| PM2.5-ST13-4/25/2008                    | Marriott Hotel, 38th Floor (roof level)             | 4/25/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 9                         | No                                | No                                       |          |
| PM2.5-ST14-4/25/2008                    | West Face - South end at corner (scaffolding level) | 4/25/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                        | No                                | No                                       |          |
| PM2.5-ST15-4/25/2008                    | South Face - East end at corner (scaffolding level) | 4/25/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 10                        | No                                | No                                       |          |
| PM2.5-ST16-4/25/2008                    | East Face - North end at corner (scaffolding level) | 4/25/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                        | No                                | No                                       |          |
| PM2.5-ST17-4/25/2008                    | North Face - West end at corner (scaffolding level) | 4/25/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 7                         | No                                | No                                       |          |
| PM2.5-ST1-4/26/2008                     | Southwest Area (sidewalk bridge level)              | 4/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 10                        | No                                | No                                       |          |
| PM2.5-ST2-4/26/2008                     | Southeast Area (sidewalk bridge level)              | 4/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                        | No                                | No                                       |          |
| PM2.5-ST4-4/26/2008                     | Northwest Area (street-level)                       | 4/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                        | No                                | No                                       |          |
| PM2.5-ST10-4/26/2008                    | North Side Sidewalk Bridge                          | 4/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 10                        | No                                | No                                       |          |
| PM2.5-ST100-4/26/2008                   | Station 10 Field Duplicate                          | 4/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                        | No                                | No                                       |          |
| PM2.5-ST11-4/26/2008                    | 90 Trinity Place (roof level)                       | 4/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                        | No                                | No                                       |          |
| PM2.5-ST12-4/26/2008                    | 110 Greenwich Street (roof level)                   | 4/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 12                        | No                                | No                                       |          |
| PM2.5-ST13-4/26/2008                    | Marriott Hotel, 38th Floor (roof level)             | 4/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 12                        | No                                | No                                       |          |
| PM2.5-ST14-4/26/2008                    | West Face - South end at corner (scaffolding level) | 4/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 17                        | No                                | No                                       |          |
| PM2.5-ST15-4/26/2008                    | South Face - East end at corner (scaffolding level) | 4/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 10                        | No                                | No                                       |          |
| PM2.5-ST16-4/26/2008                    | East Face - North end at corner (scaffolding level) | 4/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 12                        | No                                | No                                       |          |
| PM2.5-ST17-4/26/2008                    | North Face - West end at corner (scaffolding level) | 4/26/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                        | No                                | No                                       |          |
| PM2.5-ST1-4/27/2008                     | Southwest Area (sidewalk bridge level)              | 4/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                        | No                                | No                                       |          |
| PM2.5-ST2-4/27/2008                     | Southeast Area (sidewalk bridge level)              | 4/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                        | No                                | No                                       |          |
| PM2.5-ST4-4/27/2008                     | Northwest Area (street-level)                       | 4/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 10                        | No                                | No                                       |          |
| PM2.5-ST10-4/27/2008                    | North Side Sidewalk Bridge                          | 4/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 12                        | No                                | No                                       |          |
| PM2.5-ST100-4/27/2008                   | Station 10 Field Duplicate                          | 4/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 10                        | No                                | No                                       |          |
| PM2.5-ST11-4/27/2008                    | 90 Trinity Place (roof level)                       | 4/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 9                         | No                                | No                                       |          |
| PM2.5-ST12-4/27/2008                    | 110 Greenwich Street (roof level)                   | 4/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 10                        | No                                | No                                       |          |
| PM2.5-ST13-4/27/2008                    | Marriott Hotel, 38th Floor (roof level)             | 4/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 15                        | No                                | No                                       |          |
| PM2.5-ST14-4/27/2008                    | West Face - South end at corner (scaffolding level) | 4/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 15                        | No                                | No                                       |          |
| PM2.5-ST15-4/27/2008                    | South Face - East end at corner (scaffolding level) | 4/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 12                        | No                                | No                                       |          |
| PM2.5-ST16-4/27/2008                    | East Face - North end at corner (scaffolding level) | 4/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 15                        | No                                | No                                       |          |
| PM2.5-ST17-4/27/2008                    | North Face - West end at corner (scaffolding level) | 4/27/08               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 17                        | No                                | No                                       |          |

Note:

1. The PM 2.5 readings at Station 5 (Firehouse #10 [roof level]) on April 26 and 27, 2008 were not available on account of instrument malfunction.