

| TRC Field Sample No.             | Station Location                                    | Collection Start Date | Collection Time (minutes) | Analyte     | Analytical Method | Instrument    | Particulate PM2.5 (ug/m3) | Exceeds Target Air Quality Levels | Exceeds EPA Site Specific Trigger Levels | Comments |
|----------------------------------|---|-----------------------|---------------------------|-------------|-------------------|---------------|---------------------------|-----------------------------------|--|----------|
| Target Air Quality Levels        |   |                       |                           |             |                   |               | 40                        |                                   |  |          |
| EPA Site Specific Trigger Levels |   |                       |                           |             |                   |               | 65                        |                                   |  |          |
| PM2.5-ST1-12/28/2007             | Southwest Area (sidewalk bridge level)              | 12/28/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 19                        | No                                | No                                       |          |
| PM2.5-ST2-12/28/2007             | Southeast Area (sidewalk bridge level)              | 12/28/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 28                        | No                                | No                                       |          |
| PM2.5-ST4-12/28/2007             | Northwest Area (street-level)                       | 12/28/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 22                        | No                                | No                                       |          |
| PM2.5-ST5-12/28/2007             | Firehouse #10 (roof level)                          | 12/28/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 25                        | No                                | No                                       |          |
| PM2.5-ST10-12/28/2007            | North Side Sidewalk Bridge                          | 12/28/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 24                        | No                                | No                                       |          |
| PM2.5-ST100-12/28/2007           | Station 10 Field Duplicate                          | 12/28/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 22                        | No                                | No                                       |          |
| PM2.5-ST11-12/28/2007            | 90 Trinity Place (roof level)                       | 12/28/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 23                        | No                                | No                                       |          |
| PM2.5-ST12-12/28/2007            | 110 Greenwich Street (roof level)                   | 12/28/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 24                        | No                                | No                                       |          |
| PM2.5-ST13-12/28/2007            | Marriott Hotel, 38th Floor (roof level)             | 12/28/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 21                        | No                                | No                                       |          |
| PM2.5-ST14-12/28/2007            | West Face - South end at corner (scaffolding level) | 12/28/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 23                        | No                                | No                                       |          |
| PM2.5-ST15-12/28/2007            | South Face - East end at corner (scaffolding level) | 12/28/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 21                        | No                                | No                                       |          |
| PM2.5-ST16-12/28/2007            | East Face - North end at corner (scaffolding level) | 12/28/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 22                        | No                                | No                                       |          |
| PM2.5-ST17-12/28/2007            | North Face - West end at corner (scaffolding level) | 12/28/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 20                        | No                                | No                                       |          |
| PM2.5-ST1-12/29/2007             | Southwest Area (sidewalk bridge level)              | 12/29/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 12                        | No                                | No                                       |          |
| PM2.5-ST2-12/29/2007             | Southeast Area (sidewalk bridge level)              | 12/29/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                        | No                                | No                                       |          |
| PM2.5-ST4-12/29/2007             | Northwest Area (street-level)                       | 12/29/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 18                        | No                                | No                                       |          |
| PM2.5-ST5-12/29/2007             | Firehouse #10 (roof level)                          | 12/29/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 20                        | No                                | No                                       |          |
| PM2.5-ST10-12/29/2007            | North Side Sidewalk Bridge                          | 12/29/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 12                        | No                                | No                                       |          |
| PM2.5-ST100-12/29/2007           | Station 10 Field Duplicate                          | 12/29/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 16                        | No                                | No                                       |          |
| PM2.5-ST11-12/29/2007            | 90 Trinity Place (roof level)                       | 12/29/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 21                        | No                                | No                                       |          |
| PM2.5-ST12-12/29/2007            | 110 Greenwich Street (roof level)                   | 12/29/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                        | No                                | No                                       |          |
| PM2.5-ST13-12/29/2007            | Marriott Hotel, 38th Floor (roof level)             | 12/29/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                        | No                                | No                                       |          |
| PM2.5-ST14-12/29/2007            | West Face - South end at corner (scaffolding level) | 12/29/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                        | No                                | No                                       |          |
| PM2.5-ST15-12/29/2007            | South Face - East end at corner (scaffolding level) | 12/29/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 9                         | No                                | No                                       |          |
| PM2.5-ST16-12/29/2007            | East Face - North end at corner (scaffolding level) | 12/29/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 12                        | No                                | No                                       |          |
| PM2.5-ST17-12/29/2007            | North Face - West end at corner (scaffolding level) | 12/29/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 10                        | No                                | No                                       |          |
| PM2.5-ST1-12/30/2007             | Southwest Area (sidewalk bridge level)              | 12/30/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 14                        | No                                | No                                       |          |
| PM2.5-ST2-12/30/2007             | Southeast Area (sidewalk bridge level)              | 12/30/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 18                        | No                                | No                                       |          |
| PM2.5-ST4-12/30/2007             | Northwest Area (street-level)                       | 12/30/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 17                        | No                                | No                                       |          |
| PM2.5-ST5-12/30/2007             | Firehouse #10 (roof level)                          | 12/30/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 21                        | No                                | No                                       |          |
| PM2.5-ST10-12/30/2007            | North Side Sidewalk Bridge                          | 12/30/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                        | No                                | No                                       |          |
| PM2.5-ST100-12/30/2007           | Station 10 Field Duplicate                          | 12/30/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 19                        | No                                | No                                       |          |
| PM2.5-ST11-12/30/2007            | 90 Trinity Place (roof level)                       | 12/30/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 16                        | No                                | No                                       |          |
| PM2.5-ST12-12/30/2007            | 110 Greenwich Street (roof level)                   | 12/30/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 12                        | No                                | No                                       |          |
| PM2.5-ST13-12/30/2007            | Marriott Hotel, 38th Floor (roof level)             | 12/30/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                        | No                                | No                                       |          |
| PM2.5-ST14-12/30/2007            | West Face - South end at corner (scaffolding level) | 12/30/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 19                        | No                                | No                                       |          |
| PM2.5-ST15-12/30/2007            | South Face - East end at corner (scaffolding level) | 12/30/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                        | No                                | No                                       |          |
| PM2.5-ST16-12/30/2007            | East Face - North end at corner (scaffolding level) | 12/30/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 15                        | No                                | No                                       |          |
| PM2.5-ST17-12/30/2007            | North Face - West end at corner (scaffolding level) | 12/30/07              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                        | No                                | No                                       |          |