

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Respirable Silica Concentration (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
									10			
									10			
SILICA-ST1-7/31/08	040819916-0001	Southwest Area (sidewalk bridge level)	7/31/08	3.8	Silica	NIOSH 7500 XRD	EMSL	8/1/08	< 1	No	No	
SILICA-ST2-7/31/08	040819916-0002	Southeast Area (sidewalk bridge level)	7/31/08	3.59	Silica	NIOSH 7500 XRD	EMSL	8/1/08	< 1	No	No	
SILICA-ST4-7/31/08	040819916-0003	Northwest Area (street-level)	7/31/08	3.66	Silica	NIOSH 7500 XRD	EMSL	8/1/08	< 1	No	No	
SILICA-ST5-7/31/08	040819916-0004	Firehouse #10 (roof level)	7/31/08	3.54	Silica	NIOSH 7500 XRD	EMSL	8/1/08	2	No	No	
SILICA-ST10-7/31/08	040819916-0005	North Side Sidewalk Bridge	7/31/08	3.54	Silica	NIOSH 7500 XRD	EMSL	8/1/08	< 1	No	No	
SILICA-ST11-7/31/08	040819916-0006	90 Trinity Place (roof level)	7/31/08	3.59	Silica	NIOSH 7500 XRD	EMSL	8/1/08	< 1	No	No	
SILICA-ST12-7/31/08	040819916-0007	110 Greenwich Street (roof level)	7/31/08	3.59	Silica	NIOSH 7500 XRD	EMSL	8/1/08	< 1	No	No	
SILICA-ST13-7/31/08	040819916-0008	Marriott Hotel, 38th Floor (roof level)	7/31/08	3.35	Silica	NIOSH 7500 XRD	EMSL	8/1/08	< 1	No	No	
SILICA-ST14(15th) -7/31/08	040819916-0009	West Face - South end at corner (scaffolding level: 15th floor)	7/31/08	3.42	Silica	NIOSH 7500 XRD	EMSL	8/1/08	< 1	No	No	
SILICA-ST15(15th) -7/31/08	040819916-0010	South Face - East end at corner (scaffolding level: 15th floor)	7/31/08	3.55	Silica	NIOSH 7500 XRD	EMSL	8/1/08	< 1	No	No	
SILICA-ST16(15th) -7/31/08	040819916-0011	East Face - North end at corner (scaffolding level: 15th floor)	7/31/08	3.63	Silica	NIOSH 7500 XRD	EMSL	8/1/08	2	No	No	
SILICA-ST17(15th) -7/31/08	040819916-0012	North Face - West end at corner (scaffolding level: 15th floor)	7/31/08	3.46	Silica	NIOSH 7500 XRD	EMSL	8/1/08	< 1	No	No	
SILICA-ST1-8/1/08	040819985-0001	Southwest Area (sidewalk bridge level)	8/1/08	3.55	Silica	NIOSH 7500 XRD	EMSL	8/2/08	< 1	No	No	
SILICA-ST2-8/1/08	040819985-0002	Southeast Area (sidewalk bridge level)	8/1/08	3.65	Silica	NIOSH 7500 XRD	EMSL	8/2/08	< 1	No	No	
SILICA-ST4-8/1/08	040819985-0003	Northwest Area (street-level)	8/1/08	3.51	Silica	NIOSH 7500 XRD	EMSL	8/2/08	< 1	No	No	
SILICA-ST5-8/1/08	040819985-0004	Firehouse #10 (roof level)	8/1/08	3.55	Silica	NIOSH 7500 XRD	EMSL	8/2/08	9.6	No	No	
SILICA-ST10-8/1/08	040819985-0005	North Side Sidewalk Bridge	8/1/08	3.6	Silica	NIOSH 7500 XRD	EMSL	8/2/08	< 1	No	No	
SILICA-ST11-8/1/08	040819985-0006	90 Trinity Place (roof level)	8/1/08	3.58	Silica	NIOSH 7500 XRD	EMSL	8/2/08	< 1	No	No	
SILICA-ST12-8/1/08	040819985-0007	110 Greenwich Street (roof level)	8/1/08	3.52	Silica	NIOSH 7500 XRD	EMSL	8/2/08	< 1	No	No	
SILICA-ST13-8/1/08	040819985-0008	Marriott Hotel, 38th Floor (roof level)	8/1/08	3.61	Silica	NIOSH 7500 XRD	EMSL	8/2/08	< 1	No	No	
SILICA-ST14(15th) -8/1/08	040819985-0009	West Face - South end at corner (scaffolding level: 15th floor)	8/1/08	3.37	Silica	NIOSH 7500 XRD	EMSL	8/2/08	< 1	No	No	
SILICA-ST15(15th) -8/1/08	040819985-0010	South Face - East end at corner (scaffolding level: 15th floor)	8/1/08	3.34	Silica	NIOSH 7500 XRD	EMSL	8/2/08	< 1	No	No	
SILICA-ST16(15th) -8/1/08	040819985-0011	East Face - North end at corner (scaffolding level: 15th floor)	8/1/08	3.33	Silica	NIOSH 7500 XRD	EMSL	8/2/08	< 2	No	No	
SILICA-ST17(15th) -8/1/08	040819985-0012	North Face - West end at corner (scaffolding level: 15th floor)	8/1/08	3.36	Silica	NIOSH 7500 XRD	EMSL	8/2/08	< 1	No	No	
SILICA-ST1-8/2/08	040820081-0001	Southwest Area (sidewalk bridge level)	8/2/08	3.53	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST2-8/2/08	040820081-0002	Southeast Area (sidewalk bridge level)	8/2/08	3.75	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST4-8/2/08	040820081-0003	Northwest Area (street-level)	8/2/08	3.59	Silica	NIOSH 7500 XRD	EMSL	8/5/08	1	No	No	
SILICA-ST5-8/2/08	040820081-0004	Firehouse #10 (roof level)	8/2/08	3.58	Silica	NIOSH 7500 XRD	EMSL	8/4/08	4	No	No	
SILICA-ST10-8/2/08	040820081-0005	North Side Sidewalk Bridge	8/2/08	3.58	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST11-8/2/08	040820081-0006	90 Trinity Place (roof level)	8/2/08	3.58	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST12-8/2/08	040820081-0007	110 Greenwich Street (roof level)	8/2/08	3.56	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST13-8/2/08	040820081-0008	Marriott Hotel, 38th Floor (roof level)	8/2/08	3.6	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST14(15th) -8/2/08	040820081-0009	West Face - South end at corner (scaffolding level: 15th floor)	8/2/08	3.56	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST15(15th) -8/2/08	040820081-0010	South Face - East end at corner (scaffolding level: 15th floor)	8/2/08	3.34	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST16(15th) -8/2/08	040820081-0011	East Face - North end at corner (scaffolding level: 15th floor)	8/2/08	3.58	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST17(15th) -8/2/08	040820081-0012	North Face - West end at corner (scaffolding level: 15th floor)	8/2/08	3.56	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST1-8/3/08	040820085-0001	Southwest Area (sidewalk bridge level)	8/3/08	3.66	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST2-8/3/08	040820085-0002	Southeast Area (sidewalk bridge level)	8/3/08	3.7	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST4-8/3/08	040820085-0003	Northwest Area (street-level)	8/3/08	3.63	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST5-8/3/08	040820085-0004	Firehouse #10 (roof level)	8/3/08	3.59	Silica	NIOSH 7500 XRD	EMSL	8/4/08	4	No	No	
SILICA-ST10-8/3/08	040820085-0005	North Side Sidewalk Bridge	8/3/08	3.54	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST11-8/3/08	040820085-0006	90 Trinity Place (roof level)	8/3/08	3.55	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST12-8/3/08	040820085-0007	110 Greenwich Street (roof level)	8/3/08	3.6	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST13-8/3/08	040820085-0008	Marriott Hotel, 38th Floor (roof level)	8/3/08	3.46	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST14(15th) -8/3/08	040820085-0009	West Face - South end at corner (scaffolding level: 15th floor)	8/3/08	3.7	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST15(15th) -8/3/08	040820085-0010	South Face - East end at corner (scaffolding level: 15th floor)	8/3/08	3.77	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST16(15th) -8/3/08	040820085-0011	East Face - North end at corner (scaffolding level: 15th floor)	8/3/08	3.77	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST17(15th) -8/3/08	040820085-0012	North Face - West end at corner (scaffolding level: 15th floor)	8/3/08	3.75	Silica	NIOSH 7500 XRD	EMSL	8/4/08	< 1	No	No	
SILICA-ST1-8/4/08	040820185-0001	Southwest Area (sidewalk bridge level)	8/4/08	3.7	Silica	NIOSH 7500 XRD	EMSL	8/5/08	< 1	No	No	
SILICA-ST2-8/4/08	040820185-0002	Southeast Area (sidewalk bridge level)	8/4/08	3.66	Silica	NIOSH 7500 XRD	EMSL	8/5/08	< 1	No	No	
SILICA-ST4-8/4/08	040820185-0003	Northwest Area (street-level)	8/4/08	3.83	Silica	NIOSH 7500 XRD	EMSL	8/5/08	1	No	No	
SILICA-ST5-8/4/08	040820185-0004	Firehouse #10 (roof level)	8/4/08	3.61	Silica	NIOSH 7500 XRD	EMSL	8/5/08	< 1	No	No	
SILICA-ST10-8/4/08	040820185-0005	North Side Sidewalk Bridge	8/4/08	3.49	Silica	NIOSH 7500 XRD	EMSL	8/5/08	< 1	No	No	
SILICA-ST11-8/4/08	040820185-0006	90 Trinity Place (roof level)	8/4/08	3.61	Silica	NIOSH 7500 XRD	EMSL	8/5/08	< 1	No	No	
SILICA-ST12-8/4/08	040820185-0007	110 Greenwich Street (roof level)	8/4/08	3.53	Silica	NIOSH 7500 XRD	EMSL	8/5/08	< 1	No	No	
SILICA-ST13-8/4/08	040820185-0008	Marriott Hotel, 38th Floor (roof level)	8/4/08	3.57	Silica	NIOSH 7500 XRD	EMSL	8/5/08	< 1	No	No	
SILICA-ST14(15th) -8/4/08	040820185-0009	West Face - South end at corner (scaffolding level: 15th floor)	8/4/08	3.49	Silica	NIOSH 7500 XRD	EMSL	8/5/08	< 1	No	No	
SILICA-ST15(15th) -8/4/08	040820185-0010	South Face - East end at corner (scaffolding level: 15th floor)	8/4/08	3.55	Silica	NIOSH 7500 XRD	EMSL	8/5/08	< 1	No	No	
SILICA-ST16(15th) -8/4/08	040820185-0011	East Face - North end at corner (scaffolding level: 15th floor)	8/4/08	3.54	Silica	NIOSH 7500 XRD	EMSL	8/5/08	< 1	No	No	
SILICA-ST17(15th) -8/4/08	040820185-0012	North Face - West end at corner (scaffolding level: 15th floor)	8/4/08	3.53	Silica	NIOSH 7500 XRD	EMSL	8/5/08	< 1	No	No	
SILICA-ST100-8/4/08	040820185-0013	Station 10 Field Duplicate	8/4/08	3.49	Silica	NIOSH 7500 XRD	EMSL	8/5/08	< 1	No	No	