

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Respirable Silica Concentration (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
									10			
									10			
SILICA-ST1-9/15/06	040619700-0001	Southwest Area (sidewalk bridge level)	9/15/06	3.48	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST2-9/15/06	040619700-0002	Southeast Area (sidewalk bridge level)	9/15/06	3.42	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST4-9/15/06	040619700-0003	Northwest Area (street-level)	9/15/06	3.63	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST5-9/15/06	040619700-0004	Firehouse #10 (roof level)	9/15/06	3.74	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST6-9/15/06	040619702-0001	Southwest Area (roof level)	9/15/06	3.58	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST7-9/15/06	040619702-0002	Southeast Area (roof level)	9/15/06	3.64	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST8-9/15/06	040619702-0003	Northeast Area (roof level)	9/15/06	3.62	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST9-9/15/06	040619702-0004	Northwest Area (roof level)	9/15/06	3.6	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST10-9/15/06	040619700-0005	North Side Sidewalk Bridge	9/15/06	3.72	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST11-9/15/06	040619700-0006	90 Trinity Place (roof level)	9/15/06	3.71	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST12-9/15/06	040619700-0007	110 Greenwich Street (roof level)	9/15/06	3.47	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST13-9/15/06	040619700-0008	Marriott Hotel, 38th Floor (roof level)	9/15/06	3.47	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST14-9/15/06	040619700-0009	West Face - South end at corner (scaffolding level)	9/15/06	3.35	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST15-9/15/06	040619700-0010	South Face - East end at corner (scaffolding level)	9/15/06	3.19	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 2	No	No	
SILICA-ST16-9/15/06	040619700-0011	East Face - North end at corner (scaffolding level)	9/15/06	3.4	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST17-9/15/06	040619700-0012	North Face - West end at corner (scaffolding level)	9/15/06	3.35	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST1-9/16/06	040619704-0001	Southwest Area (sidewalk bridge level)	9/16/06	3.56	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST2-9/16/06	040619704-0002	Southeast Area (sidewalk bridge level)	9/16/06	3.5	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST4-9/16/06	040619704-0003	Northwest Area (street-level)	9/16/06	3.51	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST5-9/16/06	040619704-0004	Firehouse #10 (roof level)	9/16/06	3.43	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST6-9/16/06	040619706-0001	Southwest Area (roof level)	9/16/06	3.52	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST7-9/16/06	040619706-0002	Southeast Area (roof level)	9/16/06	3.55	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST8-9/16/06	040619706-0003	Northeast Area (roof level)	9/16/06	3.56	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST9-9/16/06	040619706-0004	Northwest Area (roof level)	9/16/06	3.54	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST10-9/16/06	040619704-0005	North Side Sidewalk Bridge	9/16/06	3.45	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST11-9/16/06	040619704-0006	90 Trinity Place (roof level)	9/16/06	3.52	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST12-9/16/06	040619704-0007	110 Greenwich Street (roof level)	9/16/06	3.73	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST13-9/16/06	040619704-0008	Marriott Hotel, 38th Floor (roof level)	9/16/06	3.45	Silica	NIOSH 7500 XRD	EMSL	9/18/06	2	No	No	
SILICA-ST14-9/16/06	040619704-0009	West Face - South end at corner (scaffolding level)	9/16/06	3.55	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST15-9/16/06	040619704-0010	South Face - East end at corner (scaffolding level)	9/16/06	3.56	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST16-9/16/06	040619704-0011	East Face - North end at corner (scaffolding level)	9/16/06	3.56	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST17-9/16/06	040619704-0012	North Face - West end at corner (scaffolding level)	9/16/06	3.54	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST1-9/17/06	040619707-0001	Southwest Area (sidewalk bridge level)	9/17/06	3.7	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST2-9/17/06	040619707-0002	Southeast Area (sidewalk bridge level)	9/17/06	3.69	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST4-9/17/06	040619707-0003	Northwest Area (street-level)	9/17/06	3.49	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST5-9/17/06	040619707-0004	Firehouse #10 (roof level)	9/17/06	3.57	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST6-9/17/06	040619709-0001	Southwest Area (roof level)	9/17/06	3.65	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST7-9/17/06	040619709-0002	Southeast Area (roof level)	9/17/06	3.54	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST8-9/17/06	040619709-0003	Northeast Area (roof level)	9/17/06	3.58	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST9-9/17/06	040619709-0004	Northwest Area (roof level)	9/17/06	3.59	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST10-9/17/06	040619707-0005	North Side Sidewalk Bridge	9/17/06	3.58	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST11-9/17/06	040619707-0006	90 Trinity Place (roof level)	9/17/06	3.45	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST12-9/17/06	040619707-0007	110 Greenwich Street (roof level)	9/17/06	3.57	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST13-9/17/06	040619707-0008	Marriott Hotel, 38th Floor (roof level)	9/17/06	3.66	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST14-9/17/06	040619707-0009	West Face - South end at corner (scaffolding level)	9/17/06	3.78	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST15-9/17/06	040619707-0010	South Face - East end at corner (scaffolding level)	9/17/06	3.77	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST16-9/17/06	040619707-0011	East Face - North end at corner (scaffolding level)	9/17/06	3.8	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST17-9/17/06	040619707-0012	North Face - West end at corner (scaffolding level)	9/17/06	3.72	Silica	NIOSH 7500 XRD	EMSL	9/18/06	< 1	No	No	
SILICA-ST1-9/18/06	040619824-0001	Southwest Area (sidewalk bridge level)	9/18/06	3.56	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	
SILICA-ST2-9/18/06	040619824-0002	Southeast Area (sidewalk bridge level)	9/18/06	3.58	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	
SILICA-ST4-9/18/06	040619824-0003	Northwest Area (street-level)	9/18/06	3.6	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	
SILICA-ST5-9/18/06	040619824-0004	Firehouse #10 (roof level)	9/18/06	3.61	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	
SILICA-ST6-9/18/06	040619826-0001	Southwest Area (roof level)	9/18/06	3.74	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	
SILICA-ST7-9/18/06	040619826-0002	Southeast Area (roof level)	9/18/06	3.57	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	
SILICA-ST8-9/18/06	040619826-0003	Northeast Area (roof level)	9/18/06	3.57	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	
SILICA-ST9-9/18/06	040619826-0004	Northwest Area (roof level)	9/18/06	3.58	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	
SILICA-ST10-9/18/06	040619824-0005	North Side Sidewalk Bridge	9/18/06	3.56	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	
SILICA-ST11-9/18/06	040619824-0006	90 Trinity Place (roof level)	9/18/06	3.6	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	
SILICA-ST12-9/18/06	040619824-0007	110 Greenwich Street (roof level)	9/18/06	3.62	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	
SILICA-ST13-9/18/06	040619824-0008	Marriott Hotel, 38th Floor (roof level)	9/18/06	3.66	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	
SILICA-ST14-9/18/06	040619824-0009	West Face - South end at corner (scaffolding level)	9/18/06	3.59	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	
SILICA-ST15-9/18/06	040619824-0010	South Face - East end at corner (scaffolding level)	9/18/06	3.62	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	
SILICA-ST16-9/18/06	040619824-0011	East Face - North end at corner (scaffolding level)	9/18/06	3.59	Silica	NIOSH 7500 XRD	EMSL	9/19/06	1	No	No	
SILICA-ST17-9/18/06	040619824-0012	North Face - West end at corner (scaffolding level)	9/18/06	3.64	Silica	NIOSH 7500 XRD	EMSL	9/19/06	< 1	No	No	