

Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
01/25/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/25/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/25/05	GREENWICH STREET	<21.00	S/mm2	70	
01/25/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/25/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/25/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/25/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/25/05	GREENWICH STREET	<21.00	S/mm2	70	
01/25/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/25/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/25/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/25/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/25/05	GREENWICH STREET	<21.00	S/mm2	70	
01/25/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/25/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/25/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/25/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/25/05	GREENWICH STREET	<21.00	S/mm2	70	
01/25/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/25/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/26/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/26/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/26/05	GREENWICH STREET	<21.00	S/mm2	70	
01/26/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/26/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/26/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/26/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/26/05	GREENWICH STREET	<21.00	S/mm2	70	
01/26/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	

Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
01/26/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/26/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/26/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/26/05	GREENWICH STREET	<21.00	S/mm2	70	
01/26/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/26/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/27/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/27/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/27/05	GREENWICH STREET	<21.00	S/mm2	70	
01/27/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/27/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/27/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/27/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/27/05	GREENWICH STREET	<21.00	S/mm2	70	
01/27/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/27/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/27/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/27/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/27/05	GREENWICH STREET	<21.00	S/mm2	70	
01/27/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/27/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/27/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/27/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/27/05	GREENWICH STREET	<21.00	S/mm2	70	
01/27/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/27/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/27/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/28/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/28/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/28/05	GREENWICH STREET	<21.00	S/mm2	70	

Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
01/28/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/28/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/28/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/28/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/28/05	GREENWICH STREET	<21.00	S/mm2	70	
01/28/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/28/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/28/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/28/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/28/05	GREENWICH STREET	<21.00	S/mm2	70	
01/28/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/28/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/28/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/28/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/28/05	GREENWICH STREET	<21.00	S/mm2	70	
01/28/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/28/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/29/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/29/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/29/05	GREENWICH STREET	<21.00	S/mm2	70	
01/29/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/29/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/29/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/29/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/29/05	GREENWICH STREET	<21.00	S/mm2	70	
01/29/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/29/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/29/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/29/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	

CC = Comparison Criteria
 >CC = Exceeds Comparison Criteria

Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
01/29/05	GREENWICH STREET	<21.00	S/mm2	70	
01/29/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/29/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/30/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/30/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/30/05	GREENWICH STREET	<21.00	S/mm2	70	
01/30/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/30/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/30/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/30/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/30/05	GREENWICH STREET	<21.00	S/mm2	70	
01/30/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/30/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/30/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/30/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/30/05	GREENWICH STREET	<21.00	S/mm2	70	
01/30/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/30/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/30/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/30/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/30/05	GREENWICH STREET	<21.00	S/mm2	70	
01/30/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/30/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/31/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/31/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/31/05	GREENWICH STREET	<21.00	S/mm2	70	
01/31/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/31/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/31/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	

CC = Comparison Criteria
 >CC = Exceeds Comparison Criteria

Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client: **Lower Manhattan Development Corp.**
Address: One Liberty Plaza, 20th Floor
New York, NY 10006

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
01/31/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/31/05	GREENWICH STREET	<21.00	S/mm2	70	
01/31/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/31/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
01/31/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
01/31/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
01/31/05	GREENWICH STREET	<21.00	S/mm2	70	
01/31/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
01/31/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	