

Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

Date Collected	Sample Location	Results	Units	CC	Flag
02/15/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
02/15/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
02/15/05	GREENWICH STREET	<21.00	S/mm2	70	
02/15/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
02/15/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
02/15/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
02/15/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
02/15/05	GREENWICH STREET	<21.00	S/mm2	70	
02/15/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
02/15/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
02/15/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
02/15/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
02/15/05	GREENWICH STREET	<21.00	S/mm2	70	
02/15/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
02/15/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
02/16/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
02/16/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
02/16/05	GREENWICH STREET	<21.00	S/mm2	70	
02/16/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
02/16/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
02/16/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
02/16/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
02/16/05	GREENWICH STREET	<21.00	S/mm2	70	
02/16/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	

CC = Comparison Criteria
 >CC = Exceeds Comparison Criteria

Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

Date Collected	Sample Location	Results	Units	CC	Flag
02/16/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
02/16/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
02/16/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
02/16/05	GREENWICH STREET	<21.00	S/mm2	70	
02/16/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
02/16/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
02/17/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
02/17/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
02/17/05	GREENWICH STREET	<21.00	S/mm2	70	
02/17/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
02/17/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
02/17/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
02/17/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
02/17/05	GREENWICH STREET	<21.00	S/mm2	70	
02/17/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
02/17/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
02/17/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
02/17/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
02/17/05	GREENWICH STREET	<21.00	S/mm2	70	
02/17/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
02/17/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	