

Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
04/09/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/09/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/09/05	GREENWICH STREET	<21.00	S/mm2	70	
04/09/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/09/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/09/05	WASHINGTON STREET/ ALABANY STREET	<21.00	S/mm2	70	
04/09/05	ALABANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/09/05	GREENWICH STREET	<21.00	S/mm2	70	
04/09/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/09/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/09/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/09/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/09/05	GREENWICH STREET	<21.00	S/mm2	70	
04/09/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/09/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/10/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/10/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/10/05	GREENWICH STREET	<21.00	S/mm2	70	
04/10/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/10/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/10/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/10/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/10/05	GREENWICH STREET	<21.00	S/mm2	70	
04/10/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	

CC = Comparison Criteria
 >CC = Exceeds Comparison Criteria

Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
04/10/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/10/05	WASHINGTON STREET / ALBANY STREET	<21.00	S/mm2	70	
04/10/05	ALBANY STREET / GREENWICH STREET	<21.00	S/mm2	70	
04/10/05	GREENWICH STREET	<21.00	S/mm2	70	
04/10/05	GREENWICH STREET / LIBERTY STREET	<21.00	S/mm2	70	
04/10/05	WASHINGTON STREET / CEDAR STREET	<21.00	S/mm2	70	
04/11/05	WASHINGTON STREET / ALBANY STREET	<21.00	S/mm2	70	
04/11/05	ALBANY STREET / GREENWICH STREET	<21.00	S/mm2	70	
04/11/05	GREENWICH STREET	<21.00	S/mm2	70	
04/11/05	GREENWICH STREET / LIBERTY STREET	<21.00	S/mm2	70	
04/11/05	WASHINGTON STREET / CEDAR STREET	<21.00	S/mm2	70	
04/11/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/11/05	ALBANY STREET / GREENWICH STREET	<21.00	S/mm2	70	
04/11/05	GREENWICH STREET	<21.00	S/mm2	70	
04/11/05	GREENWICH STREET / LIBERTY STREET	<21.00	S/mm2	70	
04/11/05	WASHINGTON STREET / CEDAR STREET	<21.00	S/mm2	70	
04/11/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/11/05	ALBANY STREET / GREENWICH STREET	<21.00	S/mm2	70	
04/11/05	GREENWICH STREET	<21.00	S/mm2	70	
04/11/05	GREENWICH STREET / LIBERTY STREET	<21.00	S/mm2	70	
04/11/05	WASHINGTON STREET / CEDAR STREET	<21.00	S/mm2	70	
04/11/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/11/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/11/05	GREENWICH STREET	<21.00	S/mm2	70	
04/11/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/11/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/12/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/12/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/12/05	GREENWICH STREET	<21.00	S/mm2	70	

Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
04/12/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/12/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/12/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/12/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/12/05	GREENWICH STREET	<21.00	S/mm2	70	
04/12/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/12/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/12/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/12/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/12/05	GREENWICH STREET	<21.00	S/mm2	70	
04/12/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/12/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/12/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/12/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/12/05	GREENWICH STREET	<21.00	S/mm2	70	
04/12/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/12/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/13/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/13/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/13/05	GREENWICH STREET	<21.00	S/mm2	70	
04/13/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/13/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/13/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/13/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/13/05	GREENWICH STREET	<21.00	S/mm2	70	
04/13/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/13/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/13/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/13/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	

CC = Comparison Criteria
 >CC = Exceeds Comparison Criteria

Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

Date Collected	Sample Location	Results	Units	CC	Flag
04/13/05	GREENWICH STREET	<21.00	S/mm2	70	
04/13/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/13/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/14/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/14/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/14/05	GREENWICH STREET	<21.00	S/mm2	70	
04/14/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/14/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/14/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/14/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/14/05	GREENWICH STREET	<21.00	S/mm2	70	
04/14/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/14/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/14/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/14/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/14/05	GREENWICH STREET	<21.00	S/mm2	70	
04/14/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/14/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/14/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/14/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/14/05	GREENWICH STREET	<21.00	S/mm2	70	
04/14/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/14/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/15/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/15/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/15/05	GREENWICH STREET	<21.00	S/mm2	70	
04/15/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/15/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/15/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	

CC = Comparison Criteria
 >CC = Exceeds Comparison Criteria

Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client: **Lower Manhattan Development Corp.**
Address: One Liberty Plaza, 20th Floor
New York, NY 10006

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
04/15/05	ALBANY STREET/ GREENWICH STREET	21.00	S/mm2	70	
04/15/05	GREENWICH STREET	<21.00	S/mm2	70	
04/15/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/15/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/15/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/15/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/15/05	GREENWICH STREET	<21.00	S/mm2	70	
04/15/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/15/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	