

## Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client:  
Address:

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
04/19/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/19/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/19/05	GREENWICH STREET	<21.00	S/mm2	70	
04/19/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/19/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/19/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/19/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/19/05	GREENWICH STREET	<21.00	S/mm2	70	
04/19/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/19/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/19/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/19/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/19/05	GREENWICH STREET	<21.00	S/mm2	70	
04/19/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/19/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/20/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/20/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/20/05	GREENWICH STREET	<21.00	S/mm2	70	
04/20/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/20/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/20/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/20/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/20/05	GREENWICH STREET	<21.00	S/mm2	70	
04/20/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	

## Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client:  
Address:

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
04/20/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/20/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/20/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/20/05	GREENWICH STREET	<21.00	S/mm2	70	
04/20/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/20/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/21/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/21/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/21/05	GREENWICH STREET	<21.00	S/mm2	70	
04/21/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/21/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/21/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/21/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/21/05	GREENWICH STREET	<21.00	S/mm2	70	
04/21/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/21/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/21/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/21/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/21/05	GREENWICH STREET	<21.00	S/mm2	70	
04/21/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/21/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/21/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/21/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/21/05	GREENWICH STREET	<21.00	S/mm2	70	
04/21/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/21/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/22/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/22/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/22/05	GREENWICH STREET	<21.00	S/mm2	70	

## Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client:  
Address:

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
04/22/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/22/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/22/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/22/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/22/05	GREENWICH STREET	<21.00	S/mm2	70	
04/22/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/22/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/22/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/22/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/22/05	GREENWICH STREET	<21.00	S/mm2	70	
04/22/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/22/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/23/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/23/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/23/05	GREENWICH STREET	<21.00	S/mm2	70	
04/23/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/23/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/23/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/23/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/23/05	GREENWICH STREET	<21.00	S/mm2	70	
04/23/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/23/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/23/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/23/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	

CC = Comparison Criteria  
>CC = Exceeds Comparison Criteria

## Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client:  
Address:

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
04/23/05	GREENWICH STREET	<21.00	S/mm2	70	
04/23/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/23/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/24/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/24/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/24/05	GREENWICH STREET	<21.00	S/mm2	70	
04/24/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/24/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/24/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/24/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/24/05	GREENWICH STREET	<21.00	S/mm2	70	
04/24/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/24/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/24/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/24/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/24/05	GREENWICH STREET	<21.00	S/mm2	70	
04/24/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/24/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/24/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/24/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/24/05	GREENWICH STREET	<21.00	S/mm2	70	
04/24/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/24/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/25/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/25/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/25/05	GREENWICH STREET	<21.00	S/mm2	70	
04/25/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/25/05	WASHINGTON STREET / CEDAR STREET	<21.00	S/mm2	70	
04/25/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	

CC = Comparison Criteria  
>CC = Exceeds Comparison Criteria

## Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client:  
Address:

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
04/25/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/25/05	GREENWICH STREET	<21.00	S/mm2	70	
04/25/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/25/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/25/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/25/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/25/05	GREENWICH STREET	<21.00	S/mm2	70	
04/25/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/25/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/26/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/26/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/26/05	GREENWICH STREET	<21.00	S/mm2	70	
04/26/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/26/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/26/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/26/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/26/05	GREENWICH STREET	<21.00	S/mm2	70	
04/26/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/26/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/26/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/26/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/26/05	GREENWICH STREET	<21.00	S/mm2	70	
04/26/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/26/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/26/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/26/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/26/05	GREENWICH STREET	<21.00	S/mm2	70	
04/26/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/26/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	

CC = Comparison Criteria  
>CC = Exceeds Comparison Criteria

## Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client:  
Address:

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
04/27/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/27/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/27/05	GREENWICH STREET	<21.00	S/mm2	70	
04/27/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/27/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/27/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/27/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/27/05	GREENWICH STREET	<21.00	S/mm2	70	
04/27/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/27/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/27/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/27/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/27/05	GREENWICH STREET	<21.00	S/mm2	70	
04/27/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/27/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/28/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/28/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/28/05	GREENWICH STREET	<21.00	S/mm2	70	
04/28/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/28/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	
04/28/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/28/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/28/05	GREENWICH STREET	<21.00	S/mm2	70	
04/28/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	

CC = Comparison Criteria  
>CC = Exceeds Comparison Criteria

### Asbestos by TEM Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Client:  
Address:

<u>Date Collected</u>	<u>Sample Location</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
04/28/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/28/05	WASHINGTON STREET/ ALBANY STREET	<21.00	S/mm2	70	
04/28/05	ALBANY STREET/ GREENWICH STREET	<21.00	S/mm2	70	
04/28/05	GREENWICH STREET	<21.00	S/mm2	70	
04/28/05	GREENWICH STREET/ LIBERTY STREET	<21.00	S/mm2	70	
04/28/05	WASHINGTON STREET/ CEDAR STREET	<21.00	S/mm2	70	